AQUACULTURE DRUG RESEARCH RELATED LITERATURE

(Master List, Updated December 20, 2012)

Antibiotics and Bacteria

- Alves, E, et al. 2011. Bioluminescence and its application in the monitoring of antimicrobial photodynamic therapy. *Applied Microbiology and Biotechnology* **92(6):1115-28**.
- Alves, E, et al. 2011. Photodynamic antimicrobial chemotherapy in aquaculture: Photoinactivation studies of *Vibrio fischeri*. *PloS One* **6(6):e20970**.
- Alves, RJ, et al. 2012. Multidrug-resistance and toxic metal tolerance of medically important bacteria isolated from an aquaculture system. *Microbes and Environments* **27(4):449-455**.
- Aly, SM, et al. 2008. Studies on *Bacillus subtilis* and *Lactobacillus acidophilus*, as potential probiotics, on the immune response and resistance of *Tilapia nilotica* (*Oreochromis niloticus*) to challenge infections. *Fish & Shellfish Immunology* **25(1-2):128-136.**
- Arrojado, C, et al. 2011. Applicability of photodynamic antimicrobial chemotherapy as an alternative to inactivate fish pathogenic bacteria in aquaculture systems. *Photochemical & Photobiological* **10(10):1691-1700**.
- Avendano-Herrera, R, et al. 2008. Evolution of drug resistance and minimum inhibitory concentration to enrofloxacin in *Tenacibaculum maritimum* strains isolated in fish farms. *Aquaculture International* **16(1):1-11.**
- Avendano-Herrera, R, et al. 2011. Estimation of epidemiological cut-off values for disk diffusion susceptibility test data for *Streptococcus phocae*. *Aquaculture* **314(1-4):44-48**.
- Balasubramanian, G, et al. 2008. Studies on the immunomodulatory effect of extract of *Cyanodon dactylon* in shrimp *Penaeus monodon* and its efficacy to protect the shrimp from white spot syndrome virus (WSSV). *Fish & Shellfish Immunology* **25(6):820-828.**
- Barakat, KM, and Gohar, YM. 2012. Antimicrobial agents produced by marine *Aspergillus terreus* var. *africanus* against some virulent fish pathogens. *Indian Journal of Microbiology* **52(3):366-372**.
- Barnes, ME, et al. 2009. Effect of *Flavobacterium columnare* inoculation, antibiotic treatments and resident bacteria on rainbow trout *Oncorhynchus mykiss* eyed egg survival and external membrane structure. *Journal of Fish Biology* **74(3):576-590.**
- Bartie, KL, et al. 2012. Intraspecific diversity of *Edwardsiella ictaluri* isolates from diseased freshwater catfish, *Pangasianodon hypophthalmus* (Sauvage), cultured in the Mekong Delta, Vietnam. *Journal of Fish Diseases* **35(9):671-682**.
- Bebak, J, et al. 2012. Effect of copper sulfate on *Aeromonas hydrophila* infection in channel catfish fingerlings. *North American Journal of Aquaculture* **74(4):494-498**.
- Bowker, JD, et al. 2011. Chloramine-t margin-of-safety estimates for fry, fingerling, and juvenile rainbow trout. *North American Journal of Aquaculture* **73**(3):259-269.
- Bowser, PR, et al. 2009. Florfenicol residues in Nile tilapia after 10-d oral dosing in feed: effect of fish size. *Journal of Aquatic Animal Health* **21(1):14-17**.
- Budiati, T, et al. 2013. Prevalence, antibiotic resistance and plasmid profiling of Salmonellain catfish (*Clarias gariepinus*) and tilapia (*Tilapia mossambica*) obtained from wet markets and ponds in Malaysia. *Aquaculture* 372–375:127-132.

AQUACULTURE DRUG RESEARCH RELATED LITERATURE

- Caipang, C, et al. 2009. In vivo modulation of immune response and antioxidant defense in Atlantic cod, *Gadus morhua*, following oral administration of oxolinic acid and florfenicol. *Comparative Biochemistry and Physiology, Part C: Toxicology & Pharmacology* **150(4):459-464**.
- Can, E, et al. 2012. Ozone disinfection of eggs of gilthead seabream *Sparus aurata*, sea bass *Dicentrarchus labrax*, red porgy, and common dentex *Dentex dentex*. *Journal of Aquatic Animal Health* **24(2):129-133**.
- Cárcamo, JG, et al. 2011. Effect of emamectin benzoate on transcriptional expression of cytochromes P450 and the multidrug transporters (pgp and MRP1) in rainbow trout (*Oncorhynchus mykiss*) and the sea lice *Caligus rogercresseyi*. *Aquaculture* **321(3):207-215**.
- Carraschi, SP, et al. 2012. Histopathological biomarkers in pacu (*Piaractus mesopotamicus*) infected with *Aeromonas hydrophila* and treated with antibiotics. *Ecotoxicology and Environmental Safety* **83:115-120**.
- Castillo, D, et al. 2012. Diversity of *Flavobacterium psychrophilum* and the potential use of its phages for protection against bacterial cold water disease in salmonids. *Journal of Fish Diseases* **35(3):193-201**.
- Chafer-Pericas, C, et al. 2010. Immunochemical determination of oxytetracycline in fish: comparison between enzymatic and time-resolved fluorometric assays. *Analytica Chimica Acta* **662(2):177-185**.
- Chafer-Pericas, C, et al. 2010. Multiresidue determination of antibiotics in aquaculture fish samples by HPLC-MS-MS. *Aquaculture Research* **41(9):e217-e225.**
- Chakrabarti, R, and Srivastava, PK. 2012. Effect of dietary supplementation with *Achyranthes aspera* seed on larval rohu *Labeo rohita* challenged with *Aeromonas hydrophila*. *Journal of Aquatic Animal Health* **24(4):213-218**.
- Chalupnicki, MA, et al. 2011. Efficacy and toxicity of iodine disinfection on Atlantic salmon. *North American Journal of Aquaculture* **73:124-128**.
- Chang, Z-Q, et al. 2012. The effect of temperataure and salinity on the elimination of enrofloxacin in the Manila clam *Ruditapes philippinarum*. *Journal of Aquatic Animal Health* 24(1):17-21.
- Chen, M-H, et al. 2012. *Lactococcus lactis* subsp. *lactis* infection in Bester sturgeon, a cultured hybrid of *Huso huso* × *Acipenser ruthenus*, in Taiwan. *Research in Veterinary Science* **93(2):581-588**.
- Chen, YF, et al. 2012. Isolation and characterization of *Aeromonas schubertii* from diseased snakehead, *Channa maculata* (Lacepède). *Journal of Fish Diseases* **35(6):421-430**.
- Cizek, A, et al. 2010. Antimicrobial resistance and its genetic determinants in aeromonads isolated in ornamental (koi) carp (*Cyprinus carpio koi*) and common carp (*Cyprinus carpio*). *Veterinary Microbiology* **142(3-4):435-439**.
- Coppellotti, OO, et al. 2012. Porphyrin photosensitised processes in the prevention and treatment of water- and vector-borne diseases. *Current Medicinal Chemistry* **19**(6):808-819.
- Dang, H, et al. 2009. Molecular characterizations of chloramphenicol- and oxytetracycline- resistant bacteria and resistance genes in mariculture waters of China. *Marine Pollution Bulletin* **58**(7):987-994.

AQUACULTURE DRUG RESEARCH RELATED LITERATURE

- Dang, PK, et al. 2010. Validation of a two-plate microbiological method for screening antibiotic residues in shrimp tissue. *Analytica Chimica Acta* **672(1-2):30-39.**
- Darwish, AM, and Mitchell, AJ. 2009. Evaluation of diquat against an acute experimental infection of *Flavobacterium columnare* in channel catfish, *Ictalurus punctatus* (Rafinesque). *Journal of Fish Diseases* 32(5):401-408.
- Darwish, AM, et al. 2008. *In Vitro* and *in vivo* evaluation of potassium permanganate treatment efficacy for the control of acute experimental infection by *Flavobacterium columnare* in channel catfish. *North American Journal of Aquaculture* **70**(3):314-322.
- Darwish, AM, et al. 2009. Evaluation of potassium permanganate against an experimental subacute infection of *Flavobacterium columnare* in channel catfish, *Ictalurus punctatus* (Rafinesque). *Journal of Fish Diseases* **32(2):193-199**.
- Darwish, AM, et al. 2010. Evaluation of the therapeutic effect of potassium permanganate at early stages of an experimental acute infection of *Flavobacterium columnare* in channel catfish, *Ictalurus punctatus* (Rafinesque). *Aquaculture Research* **41(10):1479-1485**.
- Darwish, AM. 2010. Effectiveness of early intervention with florfenicol on a *Streptococcus iniae* infection in blue tilapia. *North American Journal of Aquaculture* **72(4):354-360.**
- Darwish, AM, et al. 2012. Assessment of Aquaflor[®], copper sulphate and potassium permanganate for control of *Aeromonas hydrophila* and *Flavobacterium columnare* infection in sunshine bass, *Morone chrysops* female × *Morone saxatilis* male. *Journal of Fish Diseases* **35(9):637-647**.
- Das, A, et al. 2009. Antimicrobial resistance and in vitro gene transfer in bacteria isolated from the ulcers of EUS-affected fish in India. *Letters in Applied Microbiology* **49(4):497-502**.
- Dasenaki, ME and Thomaidis, NS. 2010. Multi-residue determination of seventeen sulfonamides and five tetracyclines in fish tissue using a multi-stage LC-ESI-MS/MS approach based on advanced mass spectrometric techniques. *Analytica Chimica Acta* 672(1-2):93-102.
- Del Cerro, A, et al. 2010. Genetic diversity and antimicrobial resistance of *Flavobacterium* psychrophilum isolated from cultured rainbow trout, *Onchorynchus mykiss* (Walbaum), in Spain. *Journal of Fish Diseases* 33(4):285-291.
- Deng, B, et al. 2012. Pharmacokinetics and residues of tetracycline in crucian carp muscle using capillary electrophoresis on-line coupled with electrochemiluminescence detection. *Food Chemistry* **134(4):2350-2354.**
- Dhayanithi, NB, et al. 2012. Effect of *Excoecaria agallocha* leaves against *Aeromonas hydrophila* in marine ornamental fish, *Amphiprion sebae*. *Indian Journal of Geo-Marine Sciences* **41**(6):76-82.
- Dung, TT, et al. 2009. IncK plasmid-mediated tetracycline resistance in *Edwardsiella ictaluri* isolates from diseased freshwater catfish in Vietnam. *Aquaculture* **295(3-4):157-159**.
- Fagutao, FF, et al. 2009. Differential gene expression in black tiger shrimp, *Penaeus monodon*, following administration of oxytetracycline and oxolinic acid. *Developmental & Comparative Immunology* **33(10):1088-1092**.
- Fang, M-J, et al. 2009. Isolation, determination and bacteriostasis test of the bacterial septicemia from *Aemibarbus maculates*. *Fisheries Science* **28(12):717-720**.

AQUACULTURE DRUG RESEARCH RELATED LITERATURE

- Farmer, BD, et al. 2012. Effectiveness of copper sulfate and potassium permanganate on channel catfish infected with *Flavobacterium columnare*. *North American Journal of Aquaculture* **74(3):320-329**.
- Faroongsarng, D, et al. 2009. Hepatopancreatic and muscular distribution of oxytetracycline antibiotics in farmed pacific white shrimp (*Penaeus vannamei*): a physiological-based pharmacokinetic model approach. *Aquaculture Research* **41(1):143-152**.
- Faroongsarng, D, et al. 2011. A toxicokinetic study of oxytetracycline antibiotics in farmed white shrimp, *Penaeus vannamei*. *Journal of the World Aquaculture Society* **42(4):484-493.**
- Feng, JB and Jia, XP. 2009. Single dose pharmacokinetic study of florfenicol in tilapia (*Oreochromis niloticus* × *O. aureus*) held in freshwater at 22°C. *Aquaculture* **289(1-2):129-133**.
- Feng, JB, et al. 2008. Tissue distribution and elimination of florfenicol in tilapia (*Oreochromis niloticus* × *O. caureus*) after a single oral administration in freshwater and seawater at 28°C. *Aquaculture* **276(1-4):29-35.**
- Feng, Q, et al. 2010. Kinetic analysis of oxytetracycline residues in Chinese mitten crab, *Eriocheir sinensis*, muscle following intramuscular administration. *Journal of Fish Diseases* **33(8):639-647.**
- Fierro, J and Oliva, D. 2009. Effect of antibiotic treatment on the growth and survival of juvenile northern Chilean scallop, *Argopecten purpuratus* Lamarck (1819), and associated microflora in experimental cultures. *Aquaculture Research* **40**(12):1358-1362.
- Figueiredo, HCP, et al. 2012. Weissella sp. outbreaks in commercial rainbow trout (*Oncorhynchus mykiss*) farms in Brazil. Veterinary Microbiology **156(3-4):359-366**.
- Gaikowski, MP, et al. 2009. Histopathology of repeated, intermittent exposure of chloramine-T to walleye *Sander vitreum* and channel catfish *Ictalurus punctatus*. *Aquaculture* **287(1-2):28-34**.
- Gao, Y, et al. 2012. Adsorption and removal of tetracycline antibiotics from aqueous solution by graphene oxide. *Journal of Colloid & Interface Science* **368(1):540-546**.
- Garcia E, et al. 2011. Oxytetracycline water bath treatment of juvenile blue abalone *Haliotis fulgens* (Philippi 1845) affected by the withering syndrome. *Ciencias Marinas* **37(2):191-200.**
- Gaunt, PS and Gao, DX. 2011. Preparation of ormetoprim-sulfadimethoxine-medicated discs for disc diffusion assay. *North American Journal of Aquaculture* **73(1):17-20**.
- Gaunt, PS, et al. 2010. Determination of florfenicol dose rate in feed for control of mortality in Nile tilapia infected with *Streptococcus iniae*. *Journal of Aquatic Animal Health* **22(3):158-166**.
- Gaunt, PS, et al. 2010. Efficacy of florfenicol for control of mortality caused by *Flavobacterium* columnare infection of channel catfish. *Journal of Aquatic Animal Health* **22(2):115-122**.
- Gaunt, PS, et al. 2011. Preparation of ormetoprim-sulfadimethoxine-medicated discs for disc diffusion assay. *North American Journal of Aquaculture* **73:17-20**.
- Gaunt, PS, et al. 2012. Single intravenous and oral dose pharmacokinetics of florfenicol in the channel catfish (*Ictalurus punctatus*). *Journal of Veterinary Pharmacology and Therapeutics* **35(5):503-507**.
- Geng, Y, et al. 2010. *Stenotrophomonas maltophilia*, an emerging opportunist pathogen for cultured channel catfish, *Ictalurus punctatus*, in China. *Aquaculture* **308**(**3-4**):**132-135**.

AQUACULTURE DRUG RESEARCH RELATED LITERATURE

- Geng, Y, et al. 2012. *Streptococcus agalactiae*, an emerging pathogen for cultured ya-fish, *Schizothorax prenanti*, in China. *Transboundary and Emerging Diseases* **59(4):369-375**.
- Ghosh, A, et al. 2011. Antibiotic resistance and herbal treatment of bacterial fish pathogens causing epizootic ulcerative syndrome. *Journal of Herbs, Spices & Medicinal Plants* **17(1):47-51**.
- Gieseker CM, et al. 2012. Quality control ranges for testing broth microdilution susceptibility of *Flavobacterium columnare* and *F. psychrophilum* to nine antimicrobials. *Diseases of Aquatic Organisms* **101(3):207-215**.
- Glover, KA, et al. 2010. Pharmacokinetics of emamectin benzoate administered to Atlantic salmon, *Salmo salar* L., by intra-peritoneal injection. *Journal of Fish Diseases* **33(2):183-186**.
- Godoy, DT, et al. 2008. Patterns of resistance to florfenicol and bicyclomycin in Brazilian strains of motile aeromonads. *Aquaculture* **285(1-4):255-259**.
- Gomez-Jimenez, S, et al. 2008. Oxytetracycline (OTC) accumulation and elimination in hemolymph, muscle, and hepatopancreas of white shrimp *Litopenaeus vannamei* following an OTC-feed therapeutic treatment. *Aquaculture* **274(1):24-29.**
- Gonzalez, RR, et al. 2010. Depletion of veterinary drugs used in aquaculture after administration in feed to gilthead seabream (*Sparus aurata*). *Journal of Food Protection* **73(9):1664-1670**.
- Gopalakannan, A. and Arul, V. 2011. Inhibitory activity of probiotic *Enterococcus faecium* MC13 against *Aeromonas hydrophila* confers protection against hemorrhagic septicemia in common carp *Cyprinus carpio*. *Aquaculture International* **19**(5):973-985.
- Granja, RHMM. 2012. Monitoring of florfenicol residues in fish muscle by HPLC-UV with confirmation of suspect results by LC-MS/MS. *Drug Testing and Analysis* **4(S1):125-129**.
- Groocock, GH, et al. 2013. Iodophor disinfection of eggs exposed to viral hemorrhagic septicemia virus type IVb. *North American Journal of Aquaculture* **75(1):25-33**.
- Guardiola, FA, et al. 2012. Modulation of the immune parameters and expression of genes of gilthead seabream (*Sparus aurata* L.) by dietary administration of oxytetracycline. *Aquaculture* **334–337:51-57**.
- Haggard, BE, and Bartsch, LD. 2009. Net changes in antibiotic concentrations downstream from an effluent discharge. *Journal of Environmental Quality* **38(1):343-352**.
- Hargrave, BT, et al. 2008. A micro-dilution method for detecting oxytetracycline-resistant bacteria in marine sediments from salmon and mussel aquaculture sites and an urbanized harbour in Atlantic Canada. *Marine Pollution Bulletin* **56(8):1439-1445.**
- Harikrishnan, R and Balasundaram, C. 2009. *In vitro* and *in vivo* studies of the use of some medicinal herbals against the pathogen *Aeromonas hydrophila* in goldfish. *Journal of Aquatic Animal Health* **20(3):165-176**.
- Harikrishnan, R, et al. 2011. Impact of plant products on innate and adaptive immune system of cultured finfish and shellfish. *Aquaculture* 317(1-4):1-15.
- Harikrishnan, R, et al. 2010. Scuticociliatosis and its recent prophylactic measures in aquaculture with special reference to South Korea. *Fish & Shellfish Immunology* **29(1):15-31.**
- Hashimoto, JC, et al. 2011. Considerations on the use of malachite green in aquaculture and analytical aspects of determining the residues in fish: a review. *Journal of Aquatic Food Product Technology* **20**(3):273-294.

AQUACULTURE DRUG RESEARCH RELATED LITERATURE

- He, S, et al. 2012. Do dietary betaine and the antibiotic florfenicol influence the intestinal autochthonous bacterial community in hybrid tilapia (*Oreochromis niloticus* female × O. aureus male)? World Journal of Microbiology & Biotechnology 28(3):785-791.
- He, X, et al. 2012. Multi-biomarker responses in fishes from two typical marine aquaculture regions of South China. *Marine Pollution Bulletin* **64(11):2317-2324**.
- Henríquez-Núñez, H, et al. 2012. Antimicrobial susceptibility and plasmid profiles of *Flavobacterium psychrophilum* strains isolated in Chile. *Aquaculture* **354-355:38-44**.
- Hesami, S, et al. 2010. Antimicrobial susceptibility of *Flavobacterium psychrophilum* from Ontario. *Journal of Aquatic Animal Health* **22(1):39-49**.
- Hoegfors, E, et al. 2008. Immunization of rainbow trout, *Oncorhynchus mykiss* (Walbaum), with a low molecular mass fraction isolated from *Flavobacterium psychrophilum*. *Journal of Fish Diseases* **31(12):899-911**.
- Hoj, L, et al. 2009. Localization, abundance and community structure of bacteria associated with *Artemia*: effects of nauplii enrichment and antimicrobial treatment. *Aquaculture* **293**(3-4):278-285
- Holen, E, et al. 2012. Pathogen recognition and mechanisms in Atlantic cod (*Gadus morhua*) head kidney cells: bacteria (LPS) and virus (poly I:C) signals through different pathways and affect distinct genes. *Fish & Shellfish Immunology* **33(2):267-276**.
- Huang, W, et al. 2011. Screening compounds of Chinese herbal medicine and antimicrobial agents for controlling bacterial diseases of eels. *Journal of Fishery Sciences of China* **18(1):230-236**.
- Hurtado de Mendoza, J, et al. 2012. Validation of antibiotics in catfish by on-line solid phase extraction coupled to liquid chromatography tandem mass spectrometry. *Food Chemistry* **134(2):1149-1155**.
- Imanpoor, MR, et al. 2011. Effects of sublethal concentration of chloramine-T on growth, survival, haematocrit and some blood biochemical parameters in common carp fry (*Cyprinus carpio*). Aquaculture, Aquarium, Conservation & Legislation 4(3):280-291.
- Immanuel, G, et al. 2011. Antibacterial effect of medium-chain fatty acid: caprylic acid gnotobiotic *Artemia franciscana* nauplii against shrimp pathogens *Vibrio harveyi* and *V. parahaemolyticus*. *Aquaculture International* **19(1):91-101.**
- Jerbi, MA, et al. 2012. Single and combined effects associated with two xenobiotics widely used in intensive aquaculture on European sea bass (*Dicentrarchus labrax*). *Mutation Research* **724:22-27**.
- Jia, A, et al. 2009. Simultaneous determination of tetracyclines and their degradation products in environmental waters by liquid chromatography-electrospray tandem mass spectrometry. *Journal of Chromatography A* 1216(22):4655-4662.
- John, G, et al. 2011. Health promoting biochemical effects of three medicinal plants on normal and *Aeromonas hydrophila* infected *Labeo rohita*. *Journal of Fisheries and Aquatic Science* **6(6):633-641**.
- Jori, GG, et al. 2011. Photodynamic inactivation of microbial pathogens: Disinfection of water and prevention of water-borne diseases. *Journal of Environmental Pathology, Toxicology and Oncology* **30(3):261-271**.

AQUACULTURE DRUG RESEARCH RELATED LITERATURE

- Kayis, S, et al. 2009. Bacteria in rainbow trout (*Oncorhynchus mykiss*) in the southern Black Sea region of Turkey a survey. *Israeli Journal of Aquaculture/Bamidgeh* **61(4):339-344**.
- Kitiyodom, S, et al. 2010. Characterization of antibiotic resistance in *Vibrio* spp. isolated from farmed marine shrimps (*Penaeus monodon*). *FEMS Microbiology Ecology* **72(2):219-227.**
- Kosoff, RE, et al. 2009. Florfenicol residues in three species of fish after 10-d oral dosing in feed. *Journal of Aquatic Animal Health* **21(1):8-13**.
- Kum, C, et al. 2008. Comparison of *in vitro* antimicrobial susceptibility in *Flavobacterium* psychrophilum isolated from rainbow trout fry. *Journal of Aquatic Animal Health* **20(4):245-251**.
- Kunttu, HMT, et al. 2009. The efficacy of two immunostimulants against *Flavobacterium* columnare infection in juvenile rainbow trout (*Oncorhynchus mykiss*). Fish & Shellfish Immunology **26(6):850-857**.
- Lai, H, et al. 2009. Effects of chloramphenicol, florfenicol, and thiamphenicol on growth of algae Chlorella pyrenoidosa, Isochrysis galbana, and Tetraselmis chui. Ecotoxicology and Environmental Safety 72(2):329-334.
- Lajnef, R, et al. 2012. Comparative study on the antibiotic susceptibility and plasmid profiles of *Vibrio alginolyticus* strains isolated from four Tunisian marine biotopes. *World Journal of Microbiology & Biotechnology* **28(12):3345-3363**.
- Lee, D-K, et al. 2012. Antibiograms and the estimation of epidemiological cut off values for *Vibrio ichthyoenter*i isolated from larval flounder, *Paralichthys olivaceus*. *Aquaculture* **342-343:31-35**.
- Lee, S, et al. 2010. Chemical composition and antimicrobial activity of the essential oil of *Syzygium aromaticum* flower bud (Clove) against fish systemic bacteria isolated from aquaculture sites. *Frontiers of Agriculture in China* **3(3):332-336**.
- Li, H, et al. 2010. *In vitro* antibacterial activities and postantibiotic effects of marbofloxacin against main marine pathogenic Vibrios. *Journal of Fishery Sciences of China* **17(1):97-102**.
- Li, SS and Tsai, H. 2009. Transgenic microalgae as a non-antibiotic bactericide producer to defend against bacterial pathogen infection in the fish digestive tract. *Fish & Shellfish Immunology* **26(2):316-325**.
- Li, Y and Cai, S-H. 2011. Identification and pathogenicity of *Aeromonas sobria* on tail-rot disease in juvenile tilapia *Oreochromis niloticus*. *Current Microbiology* **62(2):623-627.**
- Lim, JH, et al. 2010. Plasma and tissue depletion of florfenicol in olive flounder (*Paralichthys olivaceus*) after oral administration. *Aquaculture* **307(1-2):71-74.**
- Lin, C-Y, et al. 2010. Transgenic zebrafish eggs containing bactericidal peptide is a novel food supplement enhancing resistance to pathogenic infection of fish. *Fish & Shellfish Immunology* **28(3):419-427**.
- Liu, W-L, et al. 2010. Supercritical fluid extraction *in situ* derivatization for simultaneous determination of chloramphenicol, florfenicol and thiamphenicol in shrimp. *Food Chemistry* **121(3):797-802**.
- Liu, W, et al. 2012. Impacts of florfenicol on marine diatom *Skeletonema costatum* through photosynthesis inhibition and oxidative damages. *Plant Physiology and Biochemistry* **60:165-170**.

AQUACULTURE DRUG RESEARCH RELATED LITERATURE

- Lu, C, et al. 2011. Antibacterial properties of anthraquinones extracted from rhubarb against *Aeromonas hydrophila*. *Fisheries Science* **77(3):375-384.**
- Lu, W-H, et al. 2010. Identification and drug sensitive test of the pathogen in acinetobacter disease from hybrid Crucian carp (*Carassius auratus gibelio* female × *Cyprinus carpio* male). *Fisheries Science* **29(3):156-161**.
- Ma, CW, et al. 2009. Removal of pathogenic bacteria and nitrogens by *Lactobacillus* spp. JK-8 and JK-11. *Aquaculture* **287(3-4):266-270.**
- Madhuri, S, et al. 2012. Antimicrobial activity of some medicinal plants against fish pathogens. *International Research Journal of Pharmacy* **3(4):28-30**. (bacteria and fungi).
- Mainous, ME, et al. 2010. Effect of common aquaculture chemicals against *Edwardsiella ictaluri* and *E. tarda*. *Journal of Aquatic Animal Health* **22(4):224-228**.
- Mainous, ME, et al. 2012. Efficacy of common aquaculture compounds for disinfection of *Flavobacterium columnare* and *F. psychrophilum*. *Journal of Applied Aquaculture* **24**(3):262-270.
- Meinertz, JR, et al. 2011. Chronic toxicity of erythromycin thiocyanate to *Daphnia magna* in a flow-through, continuous exposure test system. *Bulletin of Environmental Contamination and Toxicology* **87(6):621-625**.
- Melingen, GO and Samuelsen, OB. 2011. Feed intake and tissue distribution of florfenicol in cod (*Gadus morhua*) administered in feed with different fat contents. *Journal of Applied Ichthyology* **27(1):57-60.**
- Meng, W-N, et al. 2010. Antioxidant responses in liver of *Carassius auratus* under oxytetracycline exposure. *Journal of Agro-Environment Science* **29**(**5**):**833-838.**
- Miller, RA, et al. 2012. Oxytetracyline pharmacokinetics in rainbow trout during and after an orally administered medicated feed regimen. *Journal of Aquatic Animal Health* **24(2):121-128**.
- Mine, S and Boopathy, R. 2011. Effect of organic acids on shrimp pathogen, *Vibrio harveyi*. *Current Microbiology* **63(1):1-7**.
- Mistiri, F, et al. 2012. Study of forced degradation behavior of florfenicol by LC and LC-MS and development of a validated stability-indicating assay method. *Annales Pharmaceutiques Françaises* **70(6):333-347**.
- Mousavi, SM, et al. 2011. Antibacterial activities of a new combination of essential oils against marine bacteria. *Aquaculture International* **19(1):205-214.**
- Mulcahy, DM. 2011. Antibiotic use during the intracoelomic implantation of electronic tags into fish. *Reviews in Fish Biology and Fisheries* **21(1):83-96**.
- Munasinghe, N, et al. 2012. Farm level and geographic predictors of antibiotic use is Sri Lankan shrimp farms. *Journal of Aquatic Animal Health* **24(1):22-29**.
- Nair, AV, et al. 2012. Diversity and characterization of antagonistic bacteria from tropical estuarine habitats of Cochin, India for fish health management. *World Journal of Microbiology & Biotechnology* **28**(7):2581-2592.
- Natrah, FM, et al. 2011. Disruption of bacterial cell-to-cell communication by marine organisms and its relevance to aquaculture. *Marine Biotechnology* **13(2):109-26**.

AQUACULTURE DRUG RESEARCH RELATED LITERATURE

- Navarrete, P, et al. 2009. Oxytetracycline treatment reduces bacterial diversity of intestinal microbiota of Atlantic salmon. *Journal of Aquatic Animal Health* **20(3):177-183**.
- Naviner, et al. 2011. Antimicrobial resistance of *Aeromonas* spp. isolated from the growth pond to the commercial product in a rainbow trout farm following flumequine treatment. *Aquaculture* **315(3-4):236-241**.
- Ndi, OL and Barton, MD. 2011. Incidence of class 1 integron and other antibiotic resistance determinants in *Aeromonas* spp. from rainbow trout farms in Australia. *Journal of Fish Diseases* **34(8):589-599.**
- Noga, EJ, et al. 2011. Identification of histones as endogenous antibiotics in fish and quantification in rainbow trout (*Oncorhynchus mykiss*) skin and gill. *Fish Physiology and Biochemistry* **37(1):135-52**.
- Nya, EJ, et al. 2010. The garlic component, allicin, prevents disease caused by *Aeromonas hydrophila* in rainbow trout, *Oncorhynchus mykiss* (Walbaum). *Journal of Fish Diseases* 33(4):293-300.
- Oh, E-G, et al. 2011. Antimicrobial resistance of *Vibrio parahaemolyticus* and *Vibrio alginolyticus* stains isolated from farmed fish in Korea from 2005 through 2007. *Journal of Food Protection* **74(3):380-387.**
- Ohno, Y, et al. 2009. The effect of oral antibiotic treatment and freshwater bath treatment on susceptibility to *Neobenedenia girellae* (Monogenea) infection of amberjack (*Seriola dumerili*) and yellowtail (*S. quinqueradiata*) hosts. *Aquaculture* **292(3-4):248-251**.
- Okmen, G. 2012. *In vivo* and *in vitro* antibacterial activities of aome essential oils of Lamiaceae species on *Aeromonas salmonicida* isolates from cultured rainbow trout, *Oncorhynchus mykiss*. *Journal of Animal and Veterinary Advances* 11(15):2762-2768.
- Oplinger, RW, and Wagner, EJ. 2012. Effects of media ingredient substitution and comparison of growth of *Flavobacterium psychrophilum* among four media. *Journal of Aquatic Animal Health* **24(1):49-57**.
- Ostrand, SL, et al. 2012. Inhibitory effects of rosemary oil on the *in vitro* growth of six common finfish pathogens. *North American Journal of Aquaculture* **74(2):230-234**.
- Paschoal, JAR, et al. 2012. Depletion study and estimation of the withdrawal period for oxytetracycline in tilapia cultured in Brazil. *Journal of Veterinary Pharmacology & Therapeutics* **35(1):90-96**.
- Pasharawipas, T, et al. 2011. Phage treatment of *Vibrio harveyi*: A general concept of protection against bacterial infection. *Research Journal of Microbiology* **6(6)**, **560-567**.
- Penesyan, A, et al. 2009. Antimicrobial activity observed among cultured marine epiphytic bacteria reflects their potential as a source of new drugs. *FEMS Microbiology Ecology* **69(1):113-124**.
- Pieters, N, et al. 2008. Efficacy of in-feed probiotics against *Aeromonas bestiarum* and *Ichthyophthirius multifiliis* skin infections in rainbow trout (*Oncorhynchus mykiss*, Walbaum). *Journal of Applied Microbiology* **105**(3):723-732.
- Poapolathep, A, et al. 2008. Distribution and residue depletion of oxytetracycline in giant freshwater prawn (*Macrobrachium rosenbergii*). *Journal of Food Protection* **71(4):870-873.**

AQUACULTURE DRUG RESEARCH RELATED LITERATURE

- Porsby, CH, et al. 2011. Resistance and tolerance to tropodithietic acid, an antimicrobial in aquaculture, is hard to select. *Antimicrobial Agents & Chemotherapy* **55(4):1332-1332**.
- Pouliquen, H, et al. 2009. Comparison of water, sediment, and plants for the monitoring of antibiotics: a case study on a river dedicated to fish farming. *Environmental Toxicology and Chemistry* **28(3):496-502**.
- Pridgeon, JW, et al. 2011. An in vitro screening method to evaluate chemicals as potential chemotherapeutants to control *Aeromonas hydrophila* infection in channel catfish. Journal of Applied Microbiology **111(1):114-124**.
- Qi, Z, et al. 2009. Probiotics in aquaculture of China current state, problems and prospect. *Aquaculture* **290**(1-2):15-21.
- Rambla-Alegre, M, et al. 2010. Analysis of selected veterinary antibiotics in fish by micellar liquid chromatography with fluorescence detection and validation in accordance with regulation. *Food Chemistry* **123(4):1294-1302.**
- Randrianarivelo, R, et al. 2010. Novel alternative to antibiotics in shrimp hatchery: effects of the essential oil of *Cinnamosma fragrans* on survival and bacterial concentration of *Penaeus monodon* larvae. *Journal of Applied Microbiology* **109(2):642-650.**
- Ransangan, J and Mustafa, S. 2009. Identification of *Vibrio harveyi* isolated from diseased Asian sea bass *Lates calcarifer* by use of 16S ribosomal DNA sequencing. *Journal of Aquatic Animal Health* **21(3):150-155**.
- Rattanachaikunsopon, P and Phumkhachorn, P. 2010. Use of Asiatic pennywort *Centella asiatica* aqueous extract as a bath treatment to control columnaris in Nile tilapia. *Journal of Aquatic Animal Health* **22(1):14-20**.
- Rattanachuay, P, et al. 2011. Antivibrio compounds produced by *Pseudomonas* sp. W3: Characterisation and assessment of their safety to shrimps. *World Journal of Microbiology and Biotechnology* **27(4):869-880**.
- Rebouças, RH, et al. 2011. Antimicrobial resistance profile of Vibrio species isolated from marine shrimp farming environments (*Litopenaeus vannamei*) at Ceará, Brazil. *Environmental Research* 111(1):21-24.
- Rhodes, LD, et al. 2008. Characterization of *Renibacterium salmoninarum* with reduced susceptibility to macrolide antibiotics by a standardized antibiotic susceptibility test. *Diseases of Aquatic Organisms* **80(3):173-180.**
- Rigos, G, et al. 2011. The effect of diet composition (plant vs. fish oil-based diets) on the availability of oxytetracycline in gilthead sea bream (*Sparus aurata*) at two water temperatures. *Aquaculture* **311(1-4):31-35**.
- Roiha, IS, et al. 2010. Uptake and elimination of florfenicol in Atlantic cod (*Gadus morhua*) larvae delivered orally through bioencapsulation in the brine shrimp *Artemia franciscana*. *Aquaculture* **310(1-2):27-31**.
- Roiha, IS, et al. 2011. Efficacy of florfenicol in the treatment of bacterial infections in halibut, *Hippoglossus hippoglossus* (L.), larvae. *Journal of Fish Diseases* **34(12):927-930**.
- Rosenblum, ES, et al. 2008. Efficacy, tissue distribution, and residue depletion of oxytetracycline in WS-RLP infected California red abalone *Haliotis rufescens*. *Aquaculture* **277(3-4):138-148.**

AQUACULTURE DRUG RESEARCH RELATED LITERATURE

- Rotman, FJ, et al. 2011. Efficacy of a commercial probiotic relative to oxytetracycline as Gramnegative bacterial control agents in a rotifer (*Brachionus plicatilis*) batch culture. *North American Journal of Aquaculture* **73(3):343-349.**
- Ruangpan, L and Chaweepark, T. 2009. Monitoring antimicrobial usage in marine shrimp farms. *Israeli Journal of Aquaculture/Bamidgeh* **61(3):287 (abstract of oral presentation)**.
- Russo, R and Yanong, RPE. 2009. Efficacy of vaccination against *Streptococcus iniae* during artificial spawning of the red-tail black shark (*Epalzeorhynchos bicolor*, family Cyprinidae). *Journal of Applied Aquaculture* **21(1):10-20**.
- Samsonova, JV, et al. 2012. A critical review of screening methods for the detection of chloramphenicol, thiamphenicol, and florfenicol residues in foodstuffs. *Critical Reviews in Analytical Chemistry* **42(1):50-78**.
- Samuelsen, OB. 2010. A single-dose pharmacokinetic study of emamectin benzoate in cod, *Gadus morhua* L., held in sea water at 9 C. *Journal of Fish Diseases* **33(2):137-142**.
- Sanabria, C, et al. 2009. Effects of commonly used disinfectants and temperature on swim bladder non-inflation in freshwater angelfish, *Pterophyllum scalare* (Lichtenstein). *Aquaculture* **292**(3-4):158-165.
- Schrader, K, et al. 2010. *In vitro* evaluation of the antimicrobial agent AquaFrinTM as a bactericide and selective algicide for use in channel catfish culture. *North American Journal of Aquaculture* **72(4):304-308.**
- Seifrtova, M. et al. 2009. An overview of analytical methodologies for the determination of antibiotics in environmental waters. *Analytica Chimica Acta* **649(2):158-179**.
- Sharma, SR, et al. 2010. Evaluation of immune response and resistance to diseases in tiger shrimp, *Penaeus monodon*, fed with biofilm of *Vibrio alginolyticus*. *Fish & Shellfish Immunology* **29**(5):724-732.
- Shoemaker, CA, et al. 2010. Protection against heterologous *Streptococcus iniae* isolates using a modified bacterin vaccine in Nile tilapia, *Oreochromis niloticus* (L.). *Journal of Fish Diseases* 33(7):537-544.
- Smith, EM, et al. 2012. *In vitro* inhibition of cytochrome P450-mediated reactions by gemfibrozil, erythromycin, ciprofloxacin and fluoxetine in fish liver microsomes. *Aquatic Toxicology* **109:259-266**.
- Smith, P, et al. 2008. Reducing inter-operator variation in disc diffusion assays by the inclusion of internal controls in a standard susceptibility test protocol. *Aquaculture* **285(1-4):273-276.**
- Smith, P, et al. 2009. A rapid method of improving the criteria being used to interpret disc diffusion antimicrobial susceptibility test data for bacteria associated with fish diseases. *Aquaculture* **290(1-2):172-178**.
- Smith, P, et al. 2012. Use of normalised resistance analyses to set interpretive criteria for antibiotic disc diffusion data produce by *Aeromonas* spp. *Aquaculture* **326-329:27-35**.
- Straus, D, et al. 2012. Safety of Aquaflor-medicated feed to sunshine bass. *North American Journal of Aquaculture* **74(1):1-7**.
- Ström-Bestor, M and Wiklund, T. 2011. Inhibitory activity of *Pseudomonas* sp. on *Flavobacterium* psychrophilum, in vitro. Journal of Fish Diseases **34(4):255-264.**

AQUACULTURE DRUG RESEARCH RELATED LITERATURE

- Stuart, KR, et al. 2010. Efficacy of formalin and povidone-iodine disinfection techniques on the eggs of three marine finfish species. *Aquaculture Research* **41(11):e838-e843**.
- Sun, K, et al. 2009. Genetic mechanisms of multi-antimicrobial resistance in a pathogenic *Edwardsiella tarda* strain. *Aquaculture* **289(1-2):134-139**.
- Sun, Y-X, et al. 2010. Tissue distribution and elimination of florfenicol in crucian carp (*Carassius auratus cuvieri*) after a single dose intramuscular or oral administration. *Aquaculture* **309**(**1-4**):**82-85**.
- Takano, T, et al. 2010. The efficacy of five avirulent *Edwardsiella tarda* strains in a live vaccine against Edwardsiellosis in Japanese flounder, *Paralichthys olivaceus*. Fish & Shellfish *Immunology* **29(4):687-693.**
- Tao, W, et al. 2012. Inactivation of chloramphenicol and florfenicol by a novel chloramphenicol hydrolase. *Applied and Environmental Microbiology* **78**(17):6295-6301.
- Tassanakajon, A., et al. 2011. Cationic antimicrobial peptides in penaeid shrimp. *Marine Biotechnology* **13(4):639-57**.
- Temple, E and Langdon, C. 2009. Delivering oxytetracycline to first-feeding zebrafish *Danio rerio* (Hamilton) and goby *Asterropteryx semipunctata* (Rueppell) larvae using lipid spray beads. *Journal of Fish Diseases* **32(3):279-292**.
- Topic Popovic, N, et al. 2012. Cross-sectional study of hepatic CYP1A and CYP3A enzymes in hybrid striped bass, channel catfish and Nile tilapia following oxytetracycline treatment. *Research in Veterinary Science* **92(2):283-291**.
- Touraki, M, et al. 2012. Treatment of vibriosis in European sea bass larvae, *Dicentrarchus labrax* L., with oxolinic acid administered by bath or through medicated nauplii of *Artemia franciscana* (Kellogg): efficacy and residual kinetics. *Journal of Fish Diseases* **35(7):513-522**.
- van der Grinten, E, et al. 2010. Comparing the sensitivity of algal, cyanobacterial and bacterialbioassays to different groups of antibiotics. *Chemosphere* **80(1):1-6.**
- Vaseeharan, B, et al. 2011. Antibacterial activity of *Allium sativum* against multidrug-resistant *Vibrio harveyi* isolated from black gill-diseased *Fenneropenaeus indicus*. *Aquaculture International* **19**(3):531-539.
- Vendrell, D, et al. 2008. Minimum inhibitory concentrations of erythromycin in *Lactococcus garvieae* strains isolated from cultured rainbow trout (*Oncorhynchus mykiss*) in Spain. *Bulletin of the European Association of Fish Pathologists* **28(3):125-128.**
- Vendrell, D, et al. 2012. Accumulation and depletion kinetics of erythromycin in rainbow trout (*Oncorhynchus mykiss*). *Preventive Veterinary Medicine* **105(1-2):160-163**.
- Verner-Jeffreys, DW, et al. 2009. Development of bactericidal and virucidal testing standards for aquaculture disinfectants. *Aquaculture* **286(3-4):190-197**.
- Wagner, EJ, et al. 2012. Effect of single or double exposures to hydrogen peroxide or iodine on salmonid egg survival and bacterial growth. *North American Journal of Aquaculture* **74(1):84-91**.
- Wagner, EJ, et al. 2012. Evaluation of tannic acid for disinfection of rainbow trout eggs. *North American Journal of Aquaculture* **74(1):80-83**.

AQUACULTURE DRUG RESEARCH RELATED LITERATURE

- Wagner, EJ, et al. 2012. Laboratory and production scale disinfection of salmonid eggs with hydrogen peroxide. *North American Journal of Aquaculture* **74(1):92-99**.
- Wang, H, et al. 2012. Maternal transfer and protective role of antibodies in zebrafish *Danio rerio*. *Molecular Immunology* **51(3-4):332-336**.
- Wang, N, et al. 2009. Adverse effects of enrofloxacin when associated with environmental stress in Tra catfish (*Pangasianodon hypophthalmus*). *Chemosphere* **77(11):1577-1584**.
- Weir, M, et al. 2012. Zoonotic bacteria, antimicrobial use and antimicrobial resistance in ornamental fish: a systematic review of the existing research and survey of aquaculture-allied professionals. *Epidemiology and Infection* **140(2):192-206**.
- Wu, T, et al. 2008. Medication of the tremor disease in Chinese mitten crab *Eriocheir sinensis*. *Fisheries Science* **27**(7):325-329.
- Yeh, RY, et al. 2009. Evaluation of the antibacterial activity of leaf and twig extracts of stout camphor tree, *Cinnamomum kanehirae*, and the effects on immunity and disease resistance of white shrimp, *Litopenaeus vannamei*. *Fish & Shellfish Immunology* **27(1):26-32**.
- Yonar, ME, et al. 2011. Protective effect of propolis against oxidative stress and immunosuppression induced by oxytetracycline in rainbow trout (*Oncorhynchus mykiss*, W.). *Fish & Shellfish Immunology* **31(2):318-325**.
- Yonar, ME. 2012. The effect of lycopene on oxytetracycline-induced oxidative stress and immunosuppression in rainbow trout (*Oncorhynchus mykiss*, W.). Fish & Shellfish Immunology **32(6):994-100**.
- Yu, D, et al. 2009. Effects of administration mode of antibiotics on antibiotic resistance of *Enterococcus faecalis* in aquatic ecosystems. *Chemosphere* **76(7):915-920**.
- Yu, H-J, et al. 2009. Determination of erythromycin residue in fishery products by high performance liquid chromatography-tan-dem mass spectrometry. *Chinese Journal of Analysis Laboratory* **28**(3):51-54.
- Zahran, E, et al. 2012. The effect of adjuvant and microbial challenge on the expression of antimicrobial polypeptides in channel catfish (*Ictalurus punctatus*). Fish & Shellfish Immunology **33(2):168-173**.
- Zhang, D, et al. 2010. In vitro antibacterial effect of berberine hydrochloride and enrofloxacin to fish pathogenic bacteria. *Aquaculture Research* **41(7):1095-1100.**
- Zilberg, D, et al. 2010. Dried leaves of *Rosmarinus officinalis* as a treatment for streptococcosis in tilapia. *Journal of Fish Diseases* **33(4):361-369**.
- Zong, H, et al. 2010. Research on florfenicol residue in coastal area of Dalian (Northern China) and analysis of functional diversity of the microbial community in marine sediment. *Bulletin of Environmental Contamination and Toxicology* **84(2):245-249**.
- Zounkova, R. 2011. Complex evaluation of ecotoxicity and genotoxicity of antimicrobials oxytetracycline and flumequine used in aquaculture. *Environmental Toxicology and Chemistry* **30(5):1184-1189.**

AQUACULTURE DRUG RESEARCH RELATED LITERATURE

(Master List, Updated December 20, 2012)

Parasite and Fungus Control

- Adeyemo, OK, et al. 2012. Effect of formalin on spawning success and organ histology in *Clarias gariepinus*. Research Journal of Environmental Toxicology **6(2):42-50**.
- Akoll, P, et al. Risk assessment of parasitic helminthes on cultured Nile tilapia (*Oreochromis niloticus*, L.). *Aquaculture* **356-357:123-127**.
- Aksakal, E. 2011. Alterations in growth related genes (GH-I, IGF-I and IGF-II) expression with acute copper exposure in rainbow trout. *Journal of Animal and Veterinary Advances* **10(2):3334-3339**.
- Al-Bairuty, GA, et al. 2013. Histopathological effects of waterborne copper nanoparticles and copper sulphate on the organs of rainbow trout (*Oncorhynchus mykiss*). *Aquatic Toxicology* **126:104-115**.
- Banavreh, A, et al. 2008. Effects of hydrogen peroxide on fungal disinfection, hatch rate and larval deformities of rainbow trout (*Oncorhynchus mykiss*). *Iranian Scientific Fisheries Journal* **16(4):163-168**.
- Barnes, JM, et al. 2012. Initial investigations of hops as a salmonid egg fungicide. *North American Journal of Aquaculture* **74(3):310-333**.
- Berg, AGT and Horsberg, TE. 2009. Plasma concentrations of emamectin benzoate after Slice TM treatments of Atlantic salmon (*Salmo salar*): differences between fish, cages, sites and seasons. *Aquaculture* **288(1-2):22-26**.
- Bowker, JD, et al. 2012. Efficacy of 35% PEROX-AID (hydrogen peroxide) to reduce an infestation of *Gyrodactylus salmonis* in rainbow trout. *North American Journal of Aquaculture* **74(2):154-159**.
- Bowker, JD, et al. 2012. Efficacy of SLICE premix (0.2% emamectin benzoate) for reducing infestations of *Salmincola* spp. in freshwater-reared rainbow trout. *North American Journal of Aquaculture* **74(3):428-437**.
- Bozwell, JL, et al. 2009. Use of hydrogen peroxide to improve golden shiner egg hatchability. *North American Journal of Aquaculture* **71(3):238-241**.
- Bravo, S, et al. 2008. Sensitivity assessment of *Caligus rogercresseyi* to emamectin benzoate in Chile. *Aquaculture* **282(1-4):7-12**.
- Bravo, S. et al. 2010. Effectiveness of hydrogen peroxide in the control of *Caligus rogercresseyi* in Chile and implications for sea louse management. *Aquaculture* **303(1-4):22-27**.
- Bravo, S, et al. 2010. Sensitivity assessment in the progeny of of *Caligus rogercresseyi* to emamectin bebzoate. *Bulletin of the European Association of Fish Pathologists* **30(3):99-105**.
- Bravo, S, et al. 2012. Efficacy of emamectin benzoate in the control of *Caligus rogercresseyi* on farmed Atlantic salmon (*Salmo salar* L.) in Chile from 2006 to 2007. *Aquaculture* **364–365:61-66**.
- Budiño, B, et al. 2012. Differences in the *in vitro* susceptibility to resveratrol and other chemical compounds among several *Philasterides dicentrarchi* isolates from turbot. *Parasitology Research* **110(4):1573-1578**.
- Buen-Ursua, SMA, et al. 2011. Effects of UV-Treated Sea Water, Chlorinated Sea Water, and Formalin-Treated Copepods on Survival and Growth of Newborn Seahorses, *Hippocampus comes*. *Israeli Journal of Aquaculture Bamidgeh* **63:1-7**.

AQUACULTURE DRUG RESEARCH RELATED LITERATURE

- Cao, H, et al. 2012. Identification of an isolate of *Saprolegnia ferax* as the causal agent of saprolegniosis of Yellow catfish (*Pelteobagrus fulvidraco*) eggs. *Veterinary Research Communications* **36(4):239-244**.
- Covello, JM, et al. 2012. Effects of orally administered immunostimulants on inflammatory gene expression and sea lice (*Lepeophtheirus salmonis*) burdens on Atlantic salmon (*Salmo salar*). *Aquaculture* **366-367:9-16**.
- Caruana, S, et al. 2012. The efficacy of selected plant extracts and bioflavonoids in controlling infections of *Saprolegnia australis* (Saprolegniales; Oomycetes). *Aquaculture* **358-359:146-154.**
- Chen, MF, et al. 2011. Isometamidium chloride reduces mortality of adult Chinook salmon due to *Cryptobia salmositica*. *North American Journal of Aquaculture* **73(3):304-310.**
- de Andrade Waldemarin, KC, et al. 2012. Copper sulfate affects Nile tilapia (*Oreochromis niloticus*) cardiomyocytes structure and contractile function. *Ecotoxicology* **21**(3):**783-794**.
- Foster, B, et al. 2011. Copper exposure affects hemocyte apoptosis and *Perkinsus marinus* infection in eastern oysters *Crassostrea virginica* (Gmelin). *Fish & Shellfish Immunology* **31(2):341-349.**
- França, JG, et al. 2011. Toxicity of the therapeutic potassium permanganate to tilapia *Oreochromis niloticus* and to non-target organisms *Ceriodaphnia dubia* (microcrustacean cladocera) and *Pseudokirchneriella subcapitata* (green microalgae). *Aquaculture* **322-323:249-254**.
- Gargan, PG, et al. 2012. Evidence for sea lice-induced marine mortality of Atlantic salmon (*Salmo salar*) in western Ireland from experimental releases of ranched smolts treated with emamectin benzoate. *Canadian Journal of Fisheries and Aquatic Sciences* **69(2):343-353**.
- Goodwiller, BT, and Chambers, JP. 2012. The potential use of ultrasound to control the trematode *Bolbophorus confusus* by eliminating the ram's horn snail *Planorbella trivolvis* in commercial aquaculture settings. *North American Journal of Aquaculture* **74(4):485-488**.
- Gunn, C, et al. 2012. Pilot field trial to evaluate SLICE (0.2% emamectin benzoate)-medicated feed to reduce a natural infestation of *Salmincola californiensis* in rainbow trout. *North American Journal of Aquaculture* **74(3):424-427**.
- Hamre, LA, et al. 2011. An evalulation of the duration of efficacy of emamectin benzoate in the control of *Caligus curtus* Muller infestations in Atlantic cod, *Gadus morhua* L. *Journal of Fish Diseases* 34(6):453-457.
- Hanson, SK, et al. 2011. Evaluation of emamectin benzoate for the control of experimentally induced infestations of *Argulus* sp. in goldfish and koi carp. *Journal of Aquatic Animal Health* **23(1):30-34**.
- Hardy-Smith, P, et al. 2012. In vitro and in vivo efficacy of anthelmintic compounds against blood fluke (*Cardicola forsteri*). *Aquaculture* **334-337:39-44**.
- Harikrishnan, R, et al. 2010. Effectiveness and immunomodulation of chemotherapeutants against scuticociliate *Philasterides dicentrarchi* in olive flounder. *Experimental Parasitology* **124(3):306-314**.
- Heinecke, RD and Buchmann, K. 2009. Control of *Ichthyophthirius multifiliis* using a combination of water filtration and sodium percarbonate: dose-response studies. *Aquaculture* **288(1-2):32-35**.
- Hemaprasanth, KP, et al. 2008. Efficacy of doramectin against natural and experimental infections of *Lernaea cyprinacea* in carps. *Veterinary Parasitology* **156(3-4):261-269**.

AQUACULTURE DRUG RESEARCH RELATED LITERATURE

- Heuch, PA, et al. 2009. Temporal and spatial variations in lice numbers on salmon farms in the Hardanger fjord 2004-06. *Journal of Fish Diseases* **32(1):89-100**.
- Heuch, PA, et al. 2011. Counting sea lice on Atlantic salmon farms empirical and theoretical observations. *Aquaculture* **320(3–4):149–153**.
- Heumann, J, et al. 2012. Molecular cloning and characterisation of a novel P-glycoprotein in the salmon louse *Lepeophtheirus salmonis*. *Comparative Biochemistry and Physiology Part C: Toxicology & Pharmacology* **155(2):198-205**.
- Horsberg, TE. 2012. Avermectin use in aquaculture. *Current Pharmaceutical Biotechnology* 13(6):1095-1102 (review article).
- Hoseini, SM, et al. 2011. Acute toxicity of potassium permanganate to Caspian roach *Rutilus rutilus caspicus* in two size classes and under different aeration conditions. *Toxicological & Environmental Chemistry* **93**(5):996-1001.
- Hoyer, SA, and Myrick, CA. 2012. Can copper-based substrates be used to protect hatcheries from invasion by the new Zealand mudsnail? *North American Journal of Aquaculture* **74(4):575-583**.
- Igboeli, OO, et al. 2012. Role of P-glycoprotein in emamectin benzoate (SLICE®) resistance in sea lice, *Lepeophtheirus salmonis. Aquaculture* **344-349:40-47**.
- Iles, AC, et al. 2012. Novel praziquantel treatment regime for controlling Asian *tapeworm infections in pond-reared fish*. *North* American Journal of Aquaculture **74(1):113-117**.
- Jimenez, DF, et al. 2012. Confidence in assessing the effectiveness of bath treatments for the control of sea lice on Norwegian salmon farms. *Aquaculture* **344-349:58-65**.
- Jones, PG, et al. 2012. Effectiveness of emamectin benzoate for treatment of *Lepeophtheirus salmonis* on farmed Atlantic salmon *Salmo salar* in the Bay of Fundy, Canada. *Diseases of Aquatic Organisms* **102(1):53-64**.
- Jorgensen, TR, et al. 2009. Parasite infections in recirculated rainbow trout (*Oncorhynchus mykiss*) farms. *Aquaculture* **289(1-2):91-94**.
- Jussila, J, et al. 2011. Peracetic acid (PAA) treatment is an effective disinfectant against crayfish plague (*Aphanomyces astaci*) spores in aquaculture. *Aquaculture* **320(1-2):37-42**.
- Kawano, F, and Hirazawa, N. 2012. Antiparasitic effect of in-feed inhibitors of folic acid synthesis and dihydrofolate reductase against ciliate *Cryptocaryon irritans* infection in the red sea bream *Pagrus major* and against ciliate *Ichthyophthirius multifiliis* infection in black pop-eyed goldfish *Carassius auratus*. *Aquaculture* **330-333:1-7**.
- Kawano, F, et al. 2012. Antiparasitic effects of dietary Romet 30 (SDMX-OMP) against ciliate *Cryptocaryon irritans* infection in the red sea bream *Pagrus major* and tiger puffer *Takifugu rubripes*. *Aquaculture* **344-349:35-39**.
- Kouba, A, et al. 2010. Artificial incubation of noble crayfish (*Astacus astacus*) eggs in a partially recirculating system using formaldehyde as an antifungal treatment. *Aquaculture Research* **41(10):e618-e623**.
- Krogh, KA, et al. 2008. Development of an analytical method to determine avermectins in water, sediments, and soils using liquid chromatography-tandem mass spectrometry. *Journal of Chromatography* "A" **1212(1-2):60-69**.

AQUACULTURE DRUG RESEARCH RELATED LITERATURE

- Lahnsteiner, F, et al. 2009. The risk of parasite transfer to juvenile fishes by live copepod food with the example *Triaenophorus crassus* and *Triaenophorus nodulosus*. *Aquaculture* **295(1-2):120-125**.
- Lalonde, BA, et al. 2012. Measurement of oxytetracycline and emamectin benzoate in freshwater sediments downstream of land based aquaculture facilities in the Atlantic Region of Canada. *Bulletin of Environmental Contamination & Toxicology* **89(3):547-550**.
- Larrat, S, et al. 2012. Safety and efficacy of emamectin benzoate to treat *Anguillicoloides crassus* (Kuwahara, Niimi & Itagaki) infections in American eels, *Anguilla rostrata* (Lesueur). *Journal of Fish Diseases* **35(6):467-470**.
- Lees, F, et al. 2008. Factors associated with changing efficacy of emamectin benzoate against infestations of *Lepeophtheirus salmonis* on Scottish salmon farms. *Journal of Fish Diseases* **31(12):947-951**.
- Leibowitz, MP, et al. 2010. Treatment development for systemic *Tetrahymena sp.* infection in guppies, *Poecilia reticulata* Peters. *Journal of Fish Diseases* **33(6):473-480**.
- Liu, J and Yang, G. 2009. Changes in copper content of allogynogenetic silver crucian carp after application of copper sulfate to fishponds. *Israeli Journal of Aquaculture/Bamidgeh* **61(4):351-355**.
- Liu, T-H. 2011. The acute toxicity of copper sulfate to scallop *Chlamys farreri*. *Fisheries Science* **30(6):317-320.**
- Liu, Y, et al. 2011. Analysis of behavioral changes of zebrafish (*Danio rerio*) in response to formaldehyde using self-organizing map and a hidden Markov model. *Ecological Modelling* **222(14):2191–2201**.
- Manetta, GI, et al. 2011. Effect of alcohol and formaldehyde on the delta C-13 and delta N-15 isotopic composition of *Plagioscion squamosissimus* and *Hypophthalmus edentatus* (Pisces, Osteichthyes). *Acta Scientiarum Biological Sciences* **33(4):393-397**.
- Matsche, MA, et al. 2010. Observations and treatment of *Nitzschia sturionis* on Atlantic Sturgeon from Chesapeake Bay. *Journal of Aquatic Animal Health* **22(3):174-181**.
- Matthews, MD, et al. 2012. Evaluation of hydrogen peroxide and temperature to control mortality caused by saprolegniasis and to increase hatching success of largemouth bass. *North American Journal of Aquaculture* **74(4):463-467**.
- Mayor, D, et al. 2009. Effects of copper and the sea lice treatment Slice on nutrient release from marine sediments. *Marine Pollution Bulletin* **5(4):552-558**.
- Meinertz, JR, et al. 2008. Chronic toxicity of hydrogen peroxide to *Daphnia magna* in a continuous exposure, flow-through test system. *Science of the Total Environment* **392(2-3):225-232**.
- Melian, JAH, et al. 2008. Degradation and detoxification of formalin wastewater with aerated biological filters and wetland reactors. *Process Biochemistry* **43(12):1432-1435**.
- Miao L, et al. 2011. Effects on water quality and fishes of copper sulfate complex applied as algaecide for emergency control of algae bloom. *Journal of Ecology and Rural Environment* **27(5):63-66**.
- Mischke, CC, et al. 2009. Impact of copper sulfate on plankton in channel catfish nursery ponds. *Journal of the World Aquaculture Society* **40(1):122-128**.

AQUACULTURE DRUG RESEARCH RELATED LITERATURE

- Mitchell, AJ, et al. 2008. Comparison of tank treatments with copper sulfate and potassium permanganate for sunshine bass with ichthyobodosis. *Journal of Aquatic Animal Health* **20(4):202-206**.
- Mitchell, AJ, et al. 2009. The effect of hydrogen peroxide on the hatch rate and *Saprolegnia* spp. infestation of channel catfish eggs. *North American Journal of Aquaculture* **71(3):276-280**.
- Mitchell, AJ, et al. 2010. Comparison of percent hatch and fungal infestation in channel catfish eggs after copper sulfate, diquat bromide, formalin, and hydrogen peroxide treatment. *North American Journal of Aquaculture* **72(3):201-206**.
- Molloy, SD, et al. 2011. Ingestion of *Lepeophtheirus salmonis* by the blue mussel *Mytilus edulis*. *Aquaculture* **311(1-4):61-64**.
- Pahor-Filho, E, et al. 2012. Parasitology of juvenile mullet (*Mugil liza*) and effect of formaldehyde on parasites and host. *Aquaculture* **354-355:111-116**.
- Pedersen, L-F, et al. 2009. Peracetic acid degradation and effects on nitrification in recirculating aquaculture systems. *Aquaculture* **296**(**3-4**):**246-254**.
- Pedersen, L-F, et al. 2010. Low-dose hydrogen peroxide application in closed recirculating aquaculture systems. *North American Journal of Aquaculture* **42(1):1-7**.
- Penston, MJ, et al. 2008. Reduced *Lepeophtheirus salmonis* larval abundance in a sea loch on the west coast of Scotland between 2002 and 2006. *Diseases of Aquatic Organisms* **81(2):109-117**.
- Picón-Camacho, SM, et al. 2012. An assessment of the use of drug and non-drug interventions in the treatment *of Ichthyophthirius multifiliis* Fouquet, 1876, a protozoan parasite of freshwater fish. *Parasitology* **139(2):149-190**.
- Picón-Camacho, SM, et al. 2012. Effects of long duration, low dose bronopol exposure on the control of *Ichthyophthirius multifiliis* (Ciliophora), parasitising rainbow trout (*Oncorhynchus mykiss* Walbaum). *Veterinary Parasitology* **186(3-4):237-244**.
- Polinski, MP, et al. 2010. Assessment of formalin and hydrogen peroxide use during egg incubation of North American burbot. *North American Journal of Aquaculture* **72(2):111-117**.
- Polinski, MP, et al. 2012. Hydrogen peroxide treatments administered to hatchery-reared burbot: assessing treatment regimes from embryonic development through juvenile rearing. *North American Journal of Aquaculture* **75(1):50-56**.
- Porter, J., et al. 2012. Development of an evidence biochip array kit for the multiplex screening of more than 20 anthelmintic drugs. *Analytical & Bioanalytical Chemistry* **403(10):3051-3056**.
- Raghavendra, A, et al. 2012. Ammonium chloride bath treatment as a quarantine measure to prevent the spread of *Lernaea cyprinacea* infection during transfer of fish from affected ponds. *Journal of Fish Diseases* 35(3):243-247.
- Razzaq, MA, et al. 2011. Copper sulphate stress induced histopathogoical changes in fresh water fish *Clarias batrachus* (Linn.) and *Heteropneustes fossilis* (Bloch.). *Journal of Experimental Zoology India* **14(1):371-376**.
- Reimschuessel, R, et al. 2011. *In vitro* effect of seven antiparasitics on *Acolpenteron ureteroecetes* (Dactylogyridae) from largemouth bass *Micropterus salmoides*. *Diseases of Aquatic Organisms* **94(1):59-72**.

AQUACULTURE DRUG RESEARCH RELATED LITERATURE

- Robbins, C, et al. 2010. Assessing treatment interventions on Scottish salmon farms using a sea lice (*Lepeophtherius salmonis*) population model. *Aquaculture* **306(1-4):191-197**.
- Robertson, PK, et al. 2009. A new generation of biocides for control of crustacea in fish farms. *Journal of Photochemistry and Photobiology B: Biology* **95(1):58-63**.
- Robinson, CB, et al. 2013. Tissue-specific copper concentrations in red drum after long-term exposure to sublethal levels of waterborne copper and a 21-d withdrawal. *North American Journal of Aquaculture* **75(1):1-6**.
- Rodriguez, L, et al. 2011. Uptake of metronidazole in Artemia at different developmental life stages. *Journal of Aquatic Animal Health* **23(2):100-102.**
- Rodriguez-Ibarra, LE, et al. 2011. Effect of formalin, acriflavine and glutaraldehyde on disinfecting and hatching of the bullseye puffer fish *Sphoeroides annulatus*. *Revista de Biologia Marina y Oceanografia* **46(1):59-65**.
- Roque, A, et al. 2010. Physiological stress response of sea bass (*Dicentrarchus labrax*) to hydrogen peroxide (H₂O₂) exposure. *Aquaculture* **304(1-4):104-107**.
- Rowland, SJ, et al. 2008. Use of formalin and copper to control ichthyophthiriosis in the Australian freshwater fish silver perch (*Bidyanus bidyanus* Mitchell). *Aquaculture Research* **40:44-54**.
- Saksida, SM, et al. 2010. The efficacy of emamectin benzoate against infestations of sea lice, *Lepeophtheirus salmonis*, on farmed Atlantic salmon, *Salmo salar* L., in British Columbia. *Journal of Fish Diseases* **33(11):913-917**.
- Sampaio, FG, et al. 2010. The combined effect of copper and low pH on antioxidant defenses and biochemical parameters in neotropical fish pacu, *Piaractus mesopotamicus*. *Ecotoxicology* **19**(5):963-976.
- Santos, RFB, et al. 2012. Acute toxicity and histopathology in ornamental fish amazon bluespotted corydora (*Corydoras melanistius*) exposed to formalin. *Anais da Academia Brasileira de Ciências* **84(4):1001-1007**.
- Schelkle, B, et al. 2009. Treatment of gyrodactylid infections in fish. *Diseases of Aquactic Organisms* **86(1):65-75**.
- Schelkle, B, et al. 2011. The salt myth reveled: treatment of gyrodactylid infections on ornamental guppies, *Poecilia reticulata*. *Aquaculture* **311(1-4):74-79**.
- Schumacher, IV, et al. 2011. Efficacy of quinine against ichthyophthiriasis in common carp *Cyprinus carpio. Diseases of Aquatic Organisms* **95**(3):217-224.
- Shaikh, B, et al. 2012. Residue depletion of tritium-labeled ivermectin in the muscle tissues of aquacultured Atlantic salmon, tilapia, and catfish following oral treatment. *North American Journal of Aquaculture* **74(1):27-33**.
- Shinn, AP, et al. 2009. Mechanical control of *Ichthyophthirius multifiliis* Fouquet, 1876 (Ciliophora) in a rainbow trout hatchery. *Aquacultural Engineering* **41(3)152-157**.
- Shinn, AP, et al. 2012. The anti-protozoal activity of bronopol on the key life-stages of *Ichthyophthirius multifiliis* Fouquet, 1876 (Ciliophora). *Veterinary Parasitology* **186(3-4):229-236**.
- Shirakashi, S, et al. 2012. Oral treatment of praziquantel as an effective control measure against blood fluke infection in Pacific bluefin tuna (*Thunnus orientalis*). *Aquaculture* **326-329:15-19**.

AQUACULTURE DRUG RESEARCH RELATED LITERATURE

- Simon, CA, et al. 2010. 2,4-decadienal: exploring a novel approach for the control of polychaete pests on cultured abalone. *Aquaculture* **310(1-2):52-60**.
- Skilbrei, OT, et al. 2008. A laboratory study to evaluate the use of emamectin benzoate in the control of sea lice in sea-ranched Atlantic salmon (*Salmo salar L.*). *Aquaculture* **285(1-4):2-7**.
- Straus, DL. 2008. Copper sulfate toxicity to channel catfish fry: yolk-sac versus swim-up fry. *North American Journal of Aquaculture* **70(3):323-327**.
- Straus, DL, et al. 2009. Copper sulfate toxicity to two isolates of *Ichthyophthirius multifiliis* relative to alkalinity. *Diseases of Aquatic Organisms* **84(1):31-36**.
- Straus, DL, et al. 2009. Laboratory dose confirmation of copper sulfate for treating fungus on channel catfish eggs. *North American Journal of Aquaculture* **71(4):333-338**.
- Straus, DL, et al. 2009. Optimizing copper sulfate treatments for fungus control on channel catfish eggs. *Journal of Aquatic Animal Health* **21(2):91-97**.
- Straus, DL, et al. 2011. Dose-confirmation of copper sulfate for treating fungus on channel catfish, *Ictalurus punctatus*, eggs at a commercial hatchery. *Journal of Applied Aquaculture* **23(3):199-206**.
- Straus, DL, et al. 2012. Hatch rates of channel catfish *Ictalurus punctatus* (Rafinesque 1818) eggs treated with 100 mg/L copper sulfate pentahydrate. *Aquaculture Research* **43(1):14-18**.
- Straus, DL, et al. 2012. Safety of copper sulfate to channel catfish eggs. *North American Journal of Aquaculture* **74(1):60-64**.
- Straus, DL, et al. 2012. Peracetic acid is effective for controlling fungus on channel catfish eggs. *Journal of Fish Diseases* **35(7):505-511**.
- Sykes, CL, et al. 2011. Physiological effects of potassium chloride, formalin, and handling stress on bonytail. *North American Journal of Fisheries Management* **31(2):291-298**.
- Tan, Z, et al. 2011. Persistence of malachite green and leucomalachite green in perch (*Lateolabrax japonicus*). *Chinese Journal of Oceanology and Limnology* **29(3):647-655**.
- Tavares-Dias, M, et al. 2011. Toxicity and effects of copper sulfate on parasitic control and hematological response of tambaqui (*Colossoma macropomum*). Boletim do Instituto de Pesca São Paulo 37(4):355-365.
- Taylor, NGH, et al. 2009. Using length-frequency data to elucidate the population dynamics of *Argulus foliaceus* (Crustacea: Branchiura). *Parasitology* **136(9):1023-1032**.
- Veldhoen, N, et al. 2012. Biological effects of the anti-parasitic chemotherapeutant emamectin benzoate on a non-target crustacean, the spot prawn (*Pandalus platyceros* Brandt, 1851) under laboratory conditions. *Aquatic Toxicology* **108:94-105**.
- Vestheim, H, et al. 2012. Lack of response in a marine pelagic community to short-term oil and contaminant exposure. *Journal of Experimental Marine Biology & Ecology* **416-417:110-114**. (**information on emamectin**)
- Wagner, EJ, et al. 2010. The safety and effectiveness of various hydrogen peroxide and iodine treatment regimens for rainbow trout egg disinfection. *North American Journal of Aquaculture* **72(2):34-42**.
- Wagner, EJ, et al. 2012. Egg disinfection to improve conservation aquaculture of leatherside chub. *North American Journal of Aquaculture* **74(2):199-207**.

AQUACULTURE DRUG RESEARCH RELATED LITERATURE

(Master List, Updated December 20, 2012)

- Walker, AB, et al. 2010. Surface disinfection and removal of adhesiveness from rainbow smelt eggs. *North American Journal of Aquaculture* **72(2):158-163**.
- Westcott, JD, et al. 2008. Optimization and field use of a bioassay to monitor sea lice Lepeophtheirus salmonis sensitivity to emamectin benzoate. Diseases of Aquatic Organisms 79(2):119-13.
- Whyte, SK, et al. 2011. Comparison of the depletion of emamectin benzoate (SLICE) residues from skeletal muscle and skin of Atlantic salmon (*Salmo salar*), for multiple dietary dose regimens at 10°C. *Aquaculture* 315(3-4):228-235.
- Wunder, B, et al. 2011. Efficacy of oral praziquantel treatment against the skin fluke infection of cultured chub mackerel, *Scomber japonicus*. *Aquaculture* **319(1-2):53-57**.
- Yamamoto, S, et al. 2011. Efficacy of oral praziquantel treatment against the skin fluke infection of cultured chub mackerel, *Scomber japonicas*. *Aquaculture* **319(10-2):53-57.**
- Yao, J-Y. 2011. Isolation of bioactive components from *Chelidonium majus* L. with activity against *Trichodina* sp. *Aquaculture* **318(1-2):235-238.**

Sedation or Anesthesia

- Adebayo, OT, et al. 2010. Use of aqueous extracts of avocado pear, *Pyrus communis*, leaf as anaesthetic in gonadectomy of African catfish, *Clarias gariepinus*. *Journal of Applied Aquaculture* **22(2):117-122**.
- Akbulut, B, et al. 2011. Use of clove oil to anaesthetize larvae of Russian sturgeon (*Acipenser gueldenstaedtii*). *Journal of Applied Ichthyology* **27(2):618-621**.
- Akbulut, B, et al. 2012. Influence of temperature on clove oil anaesthesia in flounder (*Platichthys flesus* Linnaeus, 1758). *Journal of Applied Ichthyology* **28(2):254-257**.
- Al-Hamdani, AH, et al. 2010. Experimental xylazine-ketamine anesthesia in the common carp (*Cyprinus carpio*). *Journal of Wildlife Diseases* **46(2):596-598**.
- Anraku, K, et al. 2009. Optimum concentration of magnesium (Mg 2+) to anesthetize octopus *Octopus vulgaris*. *Memoirs of the Faculty of Fisheries, Kagoshima University* **58:15-19** (English abstract).
- Azpeleta, C, et al. 2010. Melatonin reduces locomotor activity and circulating cortisol in goldfish. *Hormones and Behavior* **57**(3):323-329.
- Barrento, S, et al. 2011. *Cancer pagurus* (Linnaeus, 1758) physiological responses to simulated live transport: influence of temperature, air exposure and AQUI-S. *Journal of Thermal Biology* **36(2):128-137**.
- Barry, MJ. 2012. Application of a novel open-source program for measuring the effects of toxicants on the swimming behavior of large groups of unmarked fish. *Chemosphere* **86(9):938-944**.
- Becker, AG, et al. 2012. Transportation of silver catfish, *Rhamdia quelen*, in water with eugenol and the essential oil of *Lippia alba*. *Fish Physiology and Biochemistry* **38**(3):**789-796**.
- Berg, AGT, et al. 2012. Anesthesia during vaccination of Atlantic salmon: compliance with recommended procedures. *Journal of the World Aquaculture Society* **43(1):120-127**.
- Bi, S, et al. 2012. Spectroscopic study on the interaction of eugenol with salmon sperm DNA *in vitro*. *Journal of Luminescence* **132(9):2355-2360**.

AQUACULTURE DRUG RESEARCH RELATED LITERATURE

- Bilbao, A, et al. 2010. Efficiency of clove oil as anesthetic for abalone (*Haliotis tuberculata coccinea*, Revee). *Journal of Shellfish Research* **29(3):679-682**.
- Blessing, JJ, et al. 2010. Humane killing of fishes for scientific research: a comparison of two methods. *Journal of Fish Biology* **76(10):2571-2577**.
- Bowen, L, et al. 2011. Euthanization methods influence cytokine mRNA expression levels in age 0 year *Oncorhynchus mykiss*. *Journal of Fish Biology* **79(2):539-545**.
- Bowker, J and Trushenski, J. 2011. Guest director's line: AFS policy statement regarding the need for an immediate-release anesthetic/sedative for use in the fisheries disciplines. *Fisheries* **36(3):132-135**.
- Bowzer, JC, et al. 2012. Efficacy and physiological responses of grass carp to different sedation techniques: II. Effect of pulsed DC electricity voltage and exposure time on sedation and blood chemistry. *North American Journal of Aquaculture* **74(4):567-574**.
- Boyer, SE, et al. 2009. Effects of the fish anesthetic, clove oil (eugenol), on coral health and growth. *Journal of Experimental Marine Biology and Ecology* **369(1):53-57**.
- Brock, WJ, and Bell, TA. 2012. The *in vitro* and *in vivo* genotoxicity of benzocaine: a brief communication. *International Journal of Toxicology* **31(3):222-227**.
- Brown, RS, et al. 2011. An introduction to the practical and ethical perspectives on the need to advance and standardize the intracoelomic surgical implantation of electronic tags in fish. *Reviews in Fish Biology and Fisheries* **21(1):1-9**.
- Caamaño Tubío, RI, et al. 2010. Home tank anesthesia: a very efficient method of attenuating handling stress in rainbow trout (*Oncorhynchus mykiss*, Walbaum). *Journal of Applied Ichthyology* **26(1):116-117**.
- Carter, KM, et al. 2011. A review of tricaine methanesulfonate for anesthesia of fish. *Reviews in Fish Biology and Fisheries* **21(1):51-59**.
- Casselman, MT, et al. 2012. Using maximum heart rate as a rapid screening tool to determine optimum temperature for aerobic scope in Pacific salmon *Oncorhynchus* spp. *Journal of Fish Biology* **80(2):358-377**.
- Cook, DG, et al. 2009. Effect of harvest treatment on biochemical properties of farmed Chinook salmon (*Oncorhynchus tshawytscha*) tissue during frozen and thawed storage. *Journal of Food Science* **74(7):C543-C548**.
- Cooke, SJ, et al. 2011. Advancing the surgical implantation of electronic tags in fish: A gap analysis and research agenda based on a review of trends in intracoelomic tagging effects studies. *Reviews in Fish Biology and Fisheries* 21(1):127-151.
- Crosby, TC, et al. 2010. Plasma cortisol, blood glucose, and marketability of koi transported with metomidate hydrochloride. *North American Journal of Aquaculture* **72(2):141-149**.
- Crosby, TC, et al. 2012. Effects of metomidate hydrochloride sedation on blood glucose and marketability of transported threespot gourami *Trichogaster trichopterus*. *Journal of Aquatic Animal Health* **24(2):73-80**.
- da Cunha, MA, et al. 2010. Essential oil of *Lippia alba*: a new anesthetic for silver catfish, *Rhamdia quelen. Aquaculture* **306(1-4):403-406**.

AQUACULTURE DRUG RESEARCH RELATED LITERATURE

- da Rocha, MA, et al. 2012. Determination of the optimal dose of benzocaine hydrochloride in anesthesia of tilápia (*Oreochromis niloticus*). *Ciências Agrárias* 33(6):2403-2410.
- Danner, GR, et al. 2011. Spearmint (l-carvone) oil and wintergreen (methyl salicylate) oil emulsion is an effective immersion anesthetic of fishes. *Journal of Fish and Wildlife Management* **2(2):146-155**.
- de Lima Silva, et al. 2012. Essential oil of *Ocimum gratissimum* L.: anesthetic effects, mechanism of action and tolerance in silver catfish, *Rhamdia quelen*. *Aquaculture* **350-353:91-97**.
- Di Marco, P. 2011. Efficacy of tricaine methanesulphonate, clove oil and medetomidine- ketamine and their side effects on the physiology of sturgeon hybrid *Acipenser naccarii* x *Acipenser baerii*. *Journal of Applied Ichthyology* **27(2):611-617**.
- Digre, H, et al. 2011. Biochemical, physical and sensory quality of ice-stored Atlantic cod (*Gadus morhua*) as affected by pre-slaughter stress, percussion stunning and AQUI-STM anaesthesia. *European Food Research and Technology* **233(3):447-456**.
- Digre, H, et al. 2010. Electrical stunning of farmed Atlantic cod *Gadus morhua* L.: a comparison of an industrial and experimental method. *Aquaculture Research* **41(8):1190-1202**.
- Erikson, U, et al. 2012. Conditions for instant electrical stunning of farmed Atlantic cod after dewatering, maintenance of unconsciousness, effects of stress, and fillet quality—a comparison with AQUI-S. *Aquaculture* **324-325:135-144**.
- Erikson, U. 2011. Assessment of different stunning methods and recovery of farmed Atlantic salmon (*Salmo salar*): isoeugenol, nitrogen and three levels of carbon dioxide. *Animal Welfare* **20**(3):365-375.
- Estefanell, et al. 2011. Evaluation of two anaesthetic agents and the passive integrated transponder tagging system in *Octopus vulgaris*. *Aquaculture Research* **42(3):399-406**.
- Feng, G, et al. 2011. Effect of anaesthetics MS-222 and clove oil on blood biochemical parameters of juvenile Siberian sturgeon (*Acipenser baerii*). *Journal of Applied Ichthyology* **27(2):595-599**.
- Forgan, LG and Forster, ME. 2010. Oxygen consumption, ventilation frequency and cytochrome c oxidase activity in blue cod (*Parapercis colias*) exposed to hydrogen sulphide or isoeugenol. *Comparative Biochemistry and Physiology, Part C: Toxicology & Pharmacology* **151(1):57-65**.
- Fredricks, KT, et al. 2012. Feeding response of sport fish after electrical immobilization, chemical sedation, or both. *North American Journal of Fisheries Management* **32(4):679-686**.
- Gause, BR, et al. 2012. Efficacy and physiological responses of grass carp to different sedation techniques: I. Effects ov various chemicals on sedation and blood chemistry. *North American Journal of Aquaculture* **74(4):560-566**.
- Gomes, DP, et al. 2011. Water parameters affect anaesthesia induced by eugenol in silver catfish, *Rhamdia quelen. Aquaculture Research* **42(6):878-886**.
- Gonçalves, RA, et al. 2012. The use of different anaesthetics as welfare promoters during short-term human manipulation of European cuttlefish (*Sepia officinalis*) juveniles. *Aquaculture* **370–371:130-135**.
- Gray, SM, et al. 2011. The effects of handling time, ambient light, and anaesthetic method on the standardized measurement of fish colouration. *Canadian Journal of Fisheries and Aquatic Sciences* **68(2):330-342**.

AQUACULTURE DRUG RESEARCH RELATED LITERATURE

- Gullian, M and Villanueva, J. 2009. Efficacy of tricaine methanesulphonate and clove oil as anaesthetics for juvenile cobia *Rachycentron canadum*. *Aquaculture Research* **40**(7):**852-860**.
- Hajek, GJ. 2011. The anaesthetic-like effect of tea tree oil in common carp *Cyprinus carpio* L. *Aquaculture Research* **42(2):296-300**.
- Hanley, CS, et al. 2010. Effects of anesthesia and surgery on serial blood gas values and lactate concentrations in yellow perch (*Perca flavescens*), walleye pike (*Sander vitreus*), and koi (*Cyprinus carpio*). *Journal of the American Veterinary Medical Association* **236(10):1104-1108**.
- Harms, CA and Lewbart, GA. 2011. The veterinarian's role in surgical implantation of electronic tags in fish. *Reviews in Fish Biology and Fisheries* **21(1):25-33**.
- Hegyi, A, et al. 2010. Investigation of potential stress parameters in rainbow trout (*Oncorhynchus mykiss*). *Acta Biologica Hungarica* **61(1):24-32**.
- Heldwein, CG, et al. 2012. Participation of the GABAergic system in the anesthetic effect of *Lippia alba* (Mill.) N.E. Brown essential oil. *Brazilian Journal of Medical and Biological Research* **45**(**5**):**436**-**443**.
- Hooper, C, et al. 2011. Effect of movement stress on immune function in farmed Australian abalone (hybrid *Haliotis laevigata and Haliotis rubra*). *Aquaculture* **315(3-4):348-354**.
- Hoseini, SM, et al. 2011. Serum biochemical characteristics of Beluga, *Huso huso* (L.), in response to blood sampling after clove powder solution exposure. *Fish Physiology and Biochemistry* **37(3):567-572**.
- Hoseini, SM, and Ghelichpour, M, 2012. Efficacy of clove solution on blood sampling and hematological study in Beluga, *Huso huso* (L.). *Fish Physiology and Biochemistry* **38(2):493-498**.
- Huang, WC, et al. 2010. Combined use of MS-222 (tricaine) and isoflurane extends anesthesia time and minimizes cardiac rhythm side effects in adult zebrafish. *Zebrafish* **7(3):297-304**.
- Hudson, JM, et al. 2011. A portable electronarcosis system for anesthetizing salmonids and other fish. *North American Journal of Fisheries Management* **31(2):335-339.**
- Ikeda, Y, et al. 2009. Method of ethanol anaesthesia and individual marking for oval squid (*Sepioteuthis lessoniana* Ferussac, 1831 in Lesson 1830-1831). *Aquaculture Research* **41(1):157-160**.
- Iversen, M and Eliassen, RA. 2009. The effect of AQUI-S sedation on primary, secondary, and tertiary stress responses during salmon smolt, *Salmo salar* L., transport and transfer to sea. *Journal of the World Aquaculture Society* **40(2):216-225**.
- Iversen, M., et al. 2009. Potential benefit of clove oil sedation on animal welfare during salmon smolt, *Salmo salar* L., transport and transfer to sea. *Aquaculture Research* **40:233-241**.
- Javahery, S, et al. 2012. Effect of anaesthesia with clove oil in fish (review). Fish Physiology and Biochemistry 38(6):1545-1552.
- Karlsson, A, et al. 2012. Pre-anaesthetic metomidate sedation delays the stress response after caudal artery cannulation in Atlantic cod (*Gadus morhua*). Fish Physiology and Biochemistry **38(2):401-411**.
- Khalil, N, et al. 2012. Effect of stress during handling, seawater acclimation, confinement, and induced spawning on plasma ion levels and somatolactin-expressing cells in mature female *Liza ramada*. *Journal of Experimental Zoology: Part A, Ecological Genetics and Physiology* **317(7):410-424**.

AQUACULTURE DRUG RESEARCH RELATED LITERATURE

- Kiessling, A, et al. 2009. Pharmacokinetics, plasma cortisol, and effectiveness of benzocaine, MS-222, and isoeugenol measured in individual dorsal aorta-cannulated Atlantic salmon *Salmo salar* following bath administration. *Aquaculture* **286(3-4):301-308**.
- Kilgore, KH, et al. 2009. Investigational use of metomidate hydrochloride as a shipping additive for two ornamental fishes. *Journal of Aquatic Animal Health* **21(3):133-139**.
- Knapp, ISS and Bell, JJ. 2011. Some contributions to knowledge of stress response in innovative species with particular focus on the use of the anaesthetics. *Open Marine Biology Journal* **5:24- 33**.
- Lambooij, B, et al. 2009. Anaesthetic properties of Propiscin (etomidaat) and 2-phenoxyethanol in the common carp (*Cyprinus carpio* L.), neural and behavioral measures. *Aquaculture Research* **40(11):1328-1333**.
- Larrat, S, et al. 2012. Low sensitivity of antemortem gill biopsies for the detection of subclinical *Pseudodactylogyrus bini* infestations in American eels (*Anguilla rostrata*). *Journal of Zoo and Wildlife Medicine* **43(1):190-192**.
- Lin, M, et al. 2012. Effects of two anesthetics on survival of juvenile *Culter mongolicus* during a simulated transport experiment. *North American Journal of Aquaculture* **74(4):541-546**.
- Mamangkey, NGF, et al. 2009. Use of anaesthetics with the silver-lip pearl oyster, *Pinctada maxima* (Jameson). *Aquaculture* **288**(**3-4**):**280-284**.
- Marco, PD, et al. 2011. Efficacy of tricaine methanesulphonate, clove oil and medetomidine-ketamine and their side effects on the physiology of sturgeon hybrid *Acipenser naccarii* × *Acipenser baerii*. *Journal of Applied Ichthyology* **27(2):611-617**.
- Martins, ML, et al. 2012. *Trichodina nobilis* Chen, 1963 and *Trichodina reticulata* Hirschmann et Partsch, 1955 from ornamental freshwater fishes in Brazil. *Brazilian Journal of Biology* **72(2):281-286**.
- Matos, E, et al. 2010. Effect of harvesting stress and slaughter conditions on selected flesh quality criteria of gilthead seabream (*Sparus aurata*). *Aquaculture* **305(1-4):66-72**.
- Matsche, MA. 2011. Evaluation of tricaine methanesulfonate (MS-222) as a surgical anesthetic for Atlantic sturgeon *Acipenser oxyrinchus oxyrinchus*. *Journal of Applied Ichthyology* **27(2):600-610**.
- Meinertz, JR and Schreier, TM. 2009. Depletion of isoeugenol residues from the fillet tissue of AQUI-S exposed rainbow trout (*Oncorhynchus mykiss*). *Aquaculture* **296**(**3-4**):**200-206**.
- Mi, H, et al. 2012. Quality and biochemical properties of artificially hibernated crucian carp for waterless preservation. *Fish Physiology and Biochemistry* **38(6):1721-1728**.
- Noble, WJ, et al. 2009. Application of anaesthetics for sex identification and bioactive compound recovery from wild *Dicathais orbita*. *Journal of Experimental Marine Biology and Ecology* **380(1-2):53-60**.
- Oldenburg, EW, et al. 2011. Holding of juvenile salmonids for surgical implantation of electronic tags: A review and recommendations. *Reviews in Fish Biology and Fisheries* **21(1):35-42**.
- Otero-Ferrer, F, et al. 2010. Live prey first feeding regimes for short-snouted seahorse *Hippocampus hippocampus* (Linnaeus, 1758) juveniles. *Aquaculture Research* **41(9):e8-e19**.

AQUACULTURE DRUG RESEARCH RELATED LITERATURE

- Park, IS, et al. 2009. Anesthetic effects of lidocaine-hydrochloride on water parameters in simulated transport experiment of juvenile winter flounder, *Pleuronectes americanus*. *Aquaculture* **294**(1-2):76-79.
- Park, MO, et al. 2009. Efficacy and physiological responses of rock bream *Oplegnathus fasciatus* to anesthetization with clove oil. *Aquaculture* **287**(3-4):427-430.
- Parodi, TV, et al. 2012. The anesthetic efficacy of eugenol and the essential oils of *Lippia alba* and *Aloysia triphylla* in post-larvae and sub-adults of *Litopenaeus vannamei* (Crustacea, Penaeidae). *Comparative Biochemistry & Physiology Part C: Toxicology & Pharmacology* **155(3):462-468**.
- Pawar, HB, et al. 2011. Comparative efficacy of four anaesthetic agents in the yellow seahorse, *Hippocampus kuda* (Bleeker, 1852). *Aquaculture* **311(1-4):155-161**.
- Pramod, P, et al. 2010. Comparative efficacy of MS-222 and benzocaine as anaesthetics under simulated transport conditions of a tropical ornamental fish *Puntius filamentosus* (Valenciennes). *Aquaculture Research* **41(2):309-314**.
- Pramrod, P, et al. 2010. Effects of two anesthetics on water quality during a simulated transport of a tropical ornamental fish, the Indian tiger barb, *Puntius filamentosus*. *North American Journal of Aquaculture* **72(4):290-297**.
- Rahmanifarah, K, et al. 2011. Effects of clove oil on behavior and flesh quality of common carp (*Cyprinus carpio* L.) in comparison with pre-slaughter CO₂ stunning chilling and asphyxia. *Turkish Journal of Fisheries and Aquatic Sciences* **11(1):141-150**.
- Renault SF, et al. 2011. The use of eugenol and electro-narcosis as anaesthetics: Transcriptional impacts on the European eel (*Anguilla anguilla* L.). *Ecotoxicology and Environmental Safety* **74(6):1573-1577**.
- Robertson, DR and Smith-Vaniz, WF. 2010. Use of clove oil in collecting coral reef fishes for research. *Marine Ecology Progress Series* **401:295-302**.
- Ross, LG and Ross, B. 2008. *Anaesthetic and Sedative Techniques for Aquatic Animals, 3rd edition*. Blackwell Publishing, Ames, Iowa.
- Sadigh Eteghad, S, et al. 2008. Comparative survey on anesthetizing effects of medicinal herbs *Valerian officinalis, Melissa officinalis, Papaver somniferum*, and *Papaver bracteatum* on gold fish *Carassius auratus*. *Iranian Scientific Fisheries Journal* **17(1):91-98**.
- Sánchez-Vázquez, FJ, et al. 2011. Daily rhythms of toxicity and effectiveness of anesthetics (MS222 and eugenol) in zebrafish (*Danio rerio*). *Chronobiology International: The Journal of Biological & Medical Rhythm Research* **28(2):109-117**.
- Sattari, A, et al. 2009. Comparison of electroanesthesia with chemical anesthesia (MS222 and clove oil) in rainbow trout (*Oncorhynchus mykiss*) using plasma cortisol and glucose responses as physiological stress indicators. *Asian Journal of Animal and Veterinary Advances* **4(6):306-313**.
- Saunders, JM. 2012. Validation of co-oximetry for methemoglobin measurement in rainbow trout and the investigation of benzocaine as a cause of methemoglobin in salmonids. M.S. Thesis, University of Prince Edward Island, Canada.
- Saydmohammed, M and Pal, AK. 2009. Anesthetic effect of eugenol and menthol on handling stress in *Macrobrachium rosenbergii*. *Aquaculture* **298(1-2):162-167**.

AQUACULTURE DRUG RESEARCH RELATED LITERATURE

- Shaluei, F, et al. 2012. Physiological responses of great sturgeon (*Huso huso*) to different concentrations of 2-phenoxyethanol as an anesthetic. *Fish Physiology and Biochemistry* **38(6):1627-1634**.
- Sharif Rohani, M, et al. 2008. A study of the anesthetic effect of *Zataria multiflora* Boiss (Labiatae) essence on *Oncorhynchus mykiss* and cultured *Salmo trutta caspius*. *Iranian Scientific Fisheries Journal* **16(4):99-106**.
- Simoes, LN. 2011. Efficacy of clove oil as anesthetic in handling and transportation of Nile tilapia, *Oreochromis niloticus* (Actinopterygii: Cichlidae) juveniles. *Zoologia* **28**(3):**285-290**.
- Sink, TD, et al. 2009. Stress response and posttransport survival of hybrid striped bass transported with or without clove oil. *North American Journal of Aquaculture* **71(3):267-275**.
- Suquet, M, et al. 2009. Anesthesia in Pacific oyster, *Crassostrea gigas*. *Aquatic Living Resources* **22(1):29-34**.
- Suquet, M, et al. 2010. Anaesthesia and gonad sampling in the European flat oyster (*Ostrea edulis*). *Aquaculture* **308(3-4):196-198**.
- Topic Popovic, N, et al. 2012. Tricaine methane-sulfonate (MS-222) application in fish anaesthesia. *Journal of Applied Ichthyology* **28(4):553-564**. (**review article**)
- Trushenski, JT, et al. 2012. Chemical and electrical approaches to sedation of hybrid striped bass: induction, recovery, and physiological responses to sedation. *Transactions of the American Fisheries Society* **141(2):455-467**.
- Trushenski, JT, et al. 2012. Induction, recovery, and hematological responses of largemouth bass to chemo- and electrosedation. *North American Journal of Aquaculture* **74(2):214-223**.
- Tuckey, NPL, et al. 2010. Effects of rested harvesting on muscle metabolite concentrations and K-values in Chinook salmon (*Oncorhynchus tshawytscha*) fillets during storage at 15°C. *Journal of Food Science* **75(5):C459-C464**.
- Tuckey, NPL, and Forgan, LG. 2012. A rapid and simple fluorometric method for quantifying isoeugenol in seawater and in plasma and white muscle from Australasian snapper (*Pagrus auratus*). *Food Chemistry* **133(4):1664-1670**.
- Velisek, J, et al. 2009. Comparison of the effects of four anaesthetics on biochemical blood profiles of perch. *Aquaculture Research* **40(3):354-361**.
- Velisek, J, et al. 2011. Comparison of the effects of four anaesthetics on blood biochemical profiles and oxidative stress biomarkers in rainbow trout. *Aquaculture* **310(3-4):369-375**.
- Vera, LM, et al. 2010. MS-222 toxicity in juvenile seabream correlates with diurnal activity, as measured by a novel video-tracking method. *Aquaculture* **307(1-2):29-34.**
- Von Tungeln, LS, et al. 2011. Benzocaine-induced methemoglobinemia in an acute-exposure rat model. *Food and Chemical Toxicology* **49(10):2530-2535**.
- Ward, JL, et al. 2012. Development of a minimum-anesthetic-concentration depression model to study the effects of various analgesics in goldfish (*Carassius auratus*). *Journal of Zoo and Wildlife Medicine* **43(2):214-222**.
- Weber, RA, et al. 2009. The efficacy of 2-phenoxyethanol, metomidate, clove oil and MS-222 as anaesthetic agents in the Senegalese sole (*Solea senegalensis* Kaup 1858). *Aquaculture* **288**(1-2):147-150.

AQUACULTURE DRUG RESEARCH RELATED LITERATURE

(Master List, Updated December 20, 2012)

- Weber, RA, et al. 2009. The efficacy of 2-phenoxyethanol, metomidate, clove oil and MS-222 as anaesthetic agents in the Senegalese sole (*Solea senegalensis* Kaup 1858). *Aquaculture* **288**(1-2):147-150.
- Weber, RA, et al. 2011. Effects of acute exposure to 2-phenoxyethanol, clove oil, MS-222, and metomidate on primary and secondary stress responses in Senegalese sole (*Solea senegalensis* Kaup 1858). *Aquaculture* **321(1-2):108-112**.
- Woods, LC, et al. 2008. Efficacy of Aqui-S as an anesthetic for market-sized striped bass. *North American Journal of Aquaculture* **70(2):219-222**.
- Zahl, IH, et al. 2009. Anaesthesia of Atlantic cod (*Gadus morhua*) Effect of pre-anaesthetic sedation, and importance of body weight, temperature and stress. *Aquaculture* **295(1-2):52-59**.
- Zahl, IH, et al. 2011. Anaesthesia of Atlantic halibut (*Hippoglossus hippoglossus*) effect of preanaestheic sedation, and importance of body weight and water temperature. *Aquaculture Research* **42(9):1235-1245**.
- Zahl, IH, et al. 2012. Anaesthesia of farmed fish: implications for welfare. *Fish Physiology and Biochemistry* **38(1):201-218**.

Skeletal Marking

- Ambrose, WG, et al. 2012. Growth line deposition and variability in growth of two circumpolar bivalves (*Serripes groenlandicus*, and *Clinocardium ciliatum*). *Polar Biology* **35(3):345-354**.
- Booth, AJ, et al. 2011. Age validation, growth, mortality, and demographic modeling of spotted gully shark (*Triakis megalopterus*) from the southeast coast of South Africa. *Fishery Bulletin* **109(1):101-112**.
- Brooke, S and Young, CM. 2010. *In situ* measurement of survival and growth of *Lophelia pertusa* in the northern Gulf of Mexico. *Marine Ecology Progress Series* **397:153-161**.
- Carty, D, and Bowker, JD. 2013. A Terramycin 200 for Fish (44.09% oxytetracycline dihydrate) treatment regimen proposed for the fluorescent marking of rainbow trout vertebrae. *North American Journal of Aquaculture* **75(1):34-38**.
- Caudron, A and Champigneulle, A. 2009. Multiple marking of otoliths of brown trout, *Salmo trutta* L., with alizarin red S to compare efficiency of stocking of three early life stages. *Fisheries Management and Ecology* **16(3):219-224**.
- Chang, W-C. 2011. Population size and stocking contribution rates for marked and recaptured black porgy, *Acanthopagrus schlegelli*, in northwestern Taiwan, 2005-2008. *Fisheries Research* **109(2-3):252-256**.
- Crook, DA, et al. 2009. Development and evaluation of methods for osmotic induction marking of golden perch *Macquaria ambigua* with calcein and alizarin red S. North *American Journal of Fisheries Management* **29(2):279-287**.
- Darias, MJ, et al. 2010. Double staining protocol for developing European sea bass (*Dicentrarchus labrax*) larvae. *Journal of Applied Ichthyology* **26(2):280-285**.
- Devaux, A, et al. 2011. Reproduction impairment following paternal genotoxin exposure in brown trout (*Salmo trutta*) and Arctic charr (*Salvelinus alpinus*). Aquatic Toxicology **101(2):405-411**.
- Dong, Z, et al. 2010. A fluorescent method for marking the cuttlefish, *Sepiella maindroni de rochebrune*. *Journal of Zhejiang Ocean University* **29(2):120-127**.

AQUACULTURE DRUG RESEARCH RELATED LITERATURE

- Dougherty, AB. 2008. Daily and sub-daily otolith increments of larval and juvenile walleye pollock, *Theragra chalcogramma* (Pallas), as validated by alizarin complexone experiments. *Fisheries Research* **90(1-3):271-278**.
- Durham, BW and Wilde, GR. 2008. Validation of daily growth increment formation in the otoliths of juvenile cyprinid fishes from the Brazos River, Texas. *North American Journal of Fisheries Management* **28(2):442-446**.
- Ebert, TA. 2010. Demographic patterns of the purple sea urchin *Strongylocentrotus purpuratus* along a latitudinal gradient, 1985-1987. *Marine Ecology Progress Series* **406:105-120**.
- Elle, FS, et al. 2010. Evaluation of calcein as a mass mark for rainbow trout raised in outdoor hatchery raceways. *North American Journal of Fisheries Management* **30(6):1408-1412**.
- Ellers, O and Johnson, AS. 2009. Polyfluorochrome marking slows growth only during the marking month in the green sea urchin *Strongylocentrotus droebachiensis*. *Invertebrate Biology* **128(2):126-144**.
- Fontagne, S, et al. 2009. Effects of dietary phosphorus and calcium level on growth and skeletal development in rainbow trout (*Oncorhynchus mykiss*) fry. *Aquaculture* **297(1-4):141-150**.
- Fujiwara, K, et al. 2010. Multiple marking of alizarin complexone for the otolith of nigorobuna *Carassius auratus grandoculis* and estimation of individual size-at-release. *Nippon Suisan Gakkaishi* **76(4):637-645**.
- Hermans, J, et al. 2010. Growth rate and chemical features of the massive calcium carbonate skeleton of *Petrobiona massiliana* (Baeriida: Calcaronea: Calcispongiae). *Journal of the Marine Biological Association of the United Kingdom* **90(4):749-754**.
- Herrmann, M, et al. 2009. Growth estimations of the Argentinean wedge clam *Donax hanleyanus*: a comparison between length-frequency distribution and size-increment analysis. *Journal of Experimental Marine Biology and Ecology* **379(1-2):8-15**.
- Hill, MS and Quesada, CJ. 2010. Calcein mark retention in Chinook salmon and steelhead fry in artificial and natural rearing environments. *North American Journal of Fisheries Management* **30(6):1370-1375**.
- Honeyfield, DC, et al. 2011. Dietary calcein marking of shovelnose sturgeon and the effect of sunlight on mark retention. *North American Journal of Aquaculture* **73(2):129-134**.
- Johnson, JE, et al. 2010. Mass-marking reveals emerging self regulation of the Chinook salmon population in Lake Huron. *North American Journal of Fisheries Management* **30(2):518-529**.
- Kanou, K, et al. 2009. Alizarin complexone staining of the otolith and scale of largemouth bass, *Micropterus salmoides. Journal of Fisheries Technology (Yokohama)* **1(2):71-75**.
- Kuroki, M, et al. 2010. Validation and efficacy of transgenerational mass marking of otoliths in viviparous fish larvae. *Journal of Fish Biology* **77(1):292-298**.
- Lartaud, F, et al. 2010. Experimental growth pattern calibration of Antarctic scallop shells (*Adamussium colbecki*, Smith 1902) to provide a biogenic archive of high-resolution records of environmental and climatic changes. *Journal of Experimental Marine Biology and Ecology* **393(1-2):158-167.**
- Linard, C, et al. 2011. Calcein staining of calcified structures in pearl oyster *Pinctada margaritifera* and the effect of food resource level on shell growth. *Aquaculture* **313(1-4):149-155**.

AQUACULTURE DRUG RESEARCH RELATED LITERATURE

- Liu, Q, et al. 2009. The use of alizarin red S and alizarin complexone for immersion marking Japanese flounder *Paralichthys olivaceus* (T.). *Fisheries Research* **98**(1-3):67-74.
- Lochet, A, et al. 2011. Detection of chemical marks for stocking purposes in sturgeon species. 2011. *Journal of Applied Ichthyology* **27(2):444-449**.
- Logsdon, DE, and Pittman, BJ. 2012. Evaluation of osmotic induction of calcein treatments for marking juvenile walleyes. *North American Journal of Fisheries Management* **32(4):796-805**.
- Meyer, S, et al. 2012. Sublethal effects of alizarin complexone marking on Baltic cod (*Gadus morhua*) eggs and larvae. *Aquaculture* **324–325:158-164**.
- Michels, J and Buentzow, M. 2010. Assessment of Congo red as a fluorescence marker for the exoskeleton of small crustaceans and the cuticle of polychaetes. *Journal of Microscopy* **238(2):95-101**.
- Mohler, JW and Bradley, KM. 2008. Removal of calcein in wastewater produced from the batch marking of fish. *North American Journal of Fisheries Management* **28(4):1177-1181**.
- Morales-Nin, B, et al. 2010. Marking of otoliths, age validation and growth of *Argyrosomus regius* juveniles (Sciaenidae). *Fisheries Research* **106(1):76-80**.
- Morales-Nin, B, et al. 2011. Oxytetracycline hydrochloride vital labeling revisited: the case of *Dicentrarchus labrax* and *Diplodus puntazzo*. *Journal of Fish Biology* **78:762-782**.
- Nakaya, M, et al. 2008. Validation of otolith daily increments for larval and juvenile Japanese halfbeak *Hyporhamphus sajori*. *Fisheries Research* **93(1-2):186-189**.
- Noda, T. et al. 2011. A comparison of remaining rates of pelvic fin removal markings between tankreared groups and released-landed groups of black rockfish, *Sebastes schlegeli*. *Journal of Fisheries Technology (Yokohama)* **3(2):127-130**.
- Pierce, SJ and Bennett, MB. 2010. Validated annual band-pair periodicity and growth parameters of blue-spotted maskray *Neotrygon kuhlii* from south-east Queensland, Australia. *Journal of Fish Biology* **75(10):2490-2508**.
- Poulain, C, et al. 2011. An environmentally induced tidal periodicity of microgrowth increment formation in subtidal populations of the clam *Ruditapes philippinarum*. *Journal of Experimental Marine Biology and Ecology* **397(1):58-64**.
- Pratt, TC and Threader, RW. 2011. Preliminary evaluation of a large-scale American eel conservation stocking experiment. *North American Journal of Fisheries Management* **31(4):619-628**.
- Purcell, SW and Blockmans, BF. 2009. Effective fluorochrome marking of juvenile sea cucumbers for sea ranching and restocking. *Aquaculture* **296(3-4):263-270**.
- Shippentower, GE, et al. 2012. Who's your mama? Recognizing maternal origin of juvenile steelhead using injections of strontium chloride to create transgenerational marks. *Transactions of the American Fisheries Society* **140(5):1330-1339**.
- Simon, J, et al. 2009. Growth and mortality of European glass eel *Anguilla anguilla* marked with oxytetracycline and alizarin red. *Journal of Fish Biology* **74(1):289-295**.
- Smith, JE, et al. 2010. An osmotic induction method for externally marking saltwater fishes, *Stigmatopora argus* and *Stigmatopora nigra*, with calcein. Journal of Fish Biology **76(4):1055-1060**.

AQUACULTURE DRUG RESEARCH RELATED LITERATURE

(Master List, Updated December 20, 2012)

- Snover, ML, et al. 2011. Validation of annual skeletal marks in green sea turtles *Chelonia mydas* using tetracycline labeling. *Aquatic Biology* **12(3):197-204**.
- Torao, M, et al. 2010. Seasonal timing of downstream migration and migrating speed of the hatchery and wild pink salmon, *Oncorhynchus gorbuscha*, fry in the Tohoro River, eastern Hokkaido, Japan. *Scientific Reports of the Hokkaido Fish Hatchery* **64:7-15**.
- Treble, MA, et al. 2008. Growth analysis and age validation of a deepwater Arctic fish, the Greenland halibut (*Reinhardtius hippoglossoides*). *Canadian Journal of Fisheries and Aquatic Sciences* **65(6):1047-1059**.
- van der Geest, M, et al. 2011. Suitability of calcein as an in situ growth marker in burrowing bivalves. *Journal of Experimental Marine Biology and Ecology* **399(1):1-7**.
- Verreault, G, et al. 2010. First record of migrating silver American eels (*Anguilla rostrata*) in the St. Lawrence Estuary originating from a stocking program. *Journal of Great Lakes Research* **36(4):794-797**.
- Walsh, CT, et al. 2010. Growth, episodic recruitment and age truncation in populations of a catadromous percichthyid, *Macquaria colonorum*. *Marine & Freshwater Research* **61**(4):397-407.

Spawning Hormones and Sex Manipulation

- Adebayo, OT and Fatoyinbo, OA. 2010. Effect of storage period on the efficacy of African bull frog pituitary extract for induced spawning of *Clarias gariepinus* [African catfish]. *International Journal of Zoological Research* **6(4):369-372**.
- Adebayo, OT and Popoola, OM. 2008. Comparative evaluation of efficacy and cost of synthetic and non-synthetic hormones for artificial breeding of African catfish, *Clarias gariepinus* (Burchell, 1822). *Journal of Fisheries and Aquatic Science* **3(1):66-71**.
- Aflalo, ED, et al. 2012. Toward a sustainable production of genetically improved all-male prawn (*Macrobrachium rosenbergii*): evaluation of production traits and obtaining neo-females in three Indian strains. *Aquaculture* 338-341:197-207.
- Ahmed, AS, et al. 2011. Activation of GH signaling and GH-independent stimulation of growth in zebrafish by introduction of a constitutively activated GHR construct. *Transgenic Research* **20**(3):557-67.
- Al-Ansari, AM, et al. 2011. The development of an optimized sample preparation for trace level detection of 17 alpha-ethinylestradiol and estrone in whole fish tissue. *Journal of Chromatography B* **879(30):3649-3652**.
- Alavi, SMH, et al. 2012. Sperm characteristics and androgens in *Acipenser ruthenus* after induction of spermiation by carp pituitary extract or GnRHa implants. *Fish Physiology and Biochemistry* **38(6):1655-1661**.
- Amarasinghe, K, et al. 2012. Development of a fast screening and confirmatory method by liquid chromatography-quadrupole-time-of-flight mass spectrometry for glucuronide-conjugated methyltestosterone metabolite in tilapia. *Journal of Agricultural and Food Chemistry* **60(20):5084-5088**.
- Aranda, G, et al. 2011. GnRHa-induced spawning in cage-reared Atlantic Bluefin tuna: an evaluation using stereological quantification of ovarian post-ovulatory follicles. *Aquaculture* **317(1-4):255-259**.

AQUACULTURE DRUG RESEARCH RELATED LITERATURE

- Babiak, J, et al. 2012. Induced sex reversal using an aromatase inhibitor, fadrozole, in Atlantic halibut (*Hippoglossus hippoglossus* L.). *Aquaculture* **324-325:276-280**.
- Baek, HJ, et al. 2011. Effects of nonylphenol and 3,3',4,4',5-pentachlorobiphenyl on in vitro oocyte steroidogenesis in redlip mullet, *Chelon haematocheilus*. *Animal Cells and Systems* **15**(3):189-196.
- Beaven, U, and Muposhi, V. 2012. Aspects of a monosex population of *Oreochromis niloticus* fingerlings produced using 17-α methyltestosterone hormone. *Journal of Aquaculture Research* and *Development* **3(3): Article No. 132 (5 pages)**.
- Belanger, R, et al. 2010. Methyltestosterone-induced changes in electro-olfactogram responses and courtship behaviors of cyprinids. *Chemical Senses* **35(1):65-74**.
- Botero, MC. 2011. Exposure of red tilapia (*Oreochromis* spp.) eggs to 17 alpha- methyltestosterone and the sex ratio of the fish offspring. *Revista Colombiana de Ciencias Pecuarias* **24(1):38-47**.
- Boza Abarca, J, et al. 2011. Hormone-induced spawning of wild and captive-grown spotted rose snapper *Lutjanus guttatus* using carp pituitary suspension and human chorionic gonadotropin. *Ciencias Marinas* 37(2):125-139.
- Cabas, I, et al. 2011. Dietary intake of 17 alpha-ethinylestradiol promotes leukocytes infiltration in the gonad of the hermaphrodite gilthead seabream. *Molecular Immunology* **48**(**15-16**):**2079-2086**.
- Cabrita, E, et al. 2009. Successful cryopreservation of sperm from sex-reversed dusky grouper *Epinephelus marginatus*. *Aquaculture* **287(1-2):152-157**.
- Cejko, B, et al. 2011. Effect of time after hormonal stimulation on semen quality indicators of common carp, *Cyprinus carpio* (Actinopterygii: Cypriniformes: Cyprinidae). *Acta Ichthyologica Et Piscatoria* **41(2):75-80**.
- Celik, I. 2011. Effect of orally-administered 17 alpha-methyltestosterone at different doses on the sex reversal of the Nile tilapia (*Oreochromis niloticus*, Linneaus 1758). *Journal of Animal and Veterinary Advances* **10**(7):**853-857**.
- Chakraborty, SB, et al. 2011. Growth of mixed-sex and monosex Nile tilapia in different culture systems. *Turkish Journal of Fisheries and Aquatic Sciences* **11(1):133-140**.
- Chakraborty, SB, et al. 2011. Increased androgen receptor expression in muscle tissue contributing to growth increase in androgen-treated Nile tilapia. *Aquaculture International* **19(6):1119-1137**.
- Chand, BK, et al. 2011. Studies on the breeding of *Pangasius sutchi* using different inducing agents. *Journal of Applied Aquaculture* **23(1):32-40**.
- Chen, H, et al. 2011. Molecular cloning, characterization and expression profiles of three estrogen receptors in protogynous hermaphroditic orange-spotted grouper (*Epinephelus coioides*). *General and Comparative Endocrinology* **172(3):371-381**.
- Chen, J. 2010. Analysis of false-positive reaction for HPLC determination of 17-methyltestosterone in aquatic product by HPLC. *South China Fisheries Science* **6(6):74-76**.
- Christopher, JG, et al. 2011. Optimization of artificial fertilization in the stinging catfish heteropneustes fossilis (Bloch). *Zygote* **19(1):63-6**.

AQUACULTURE DRUG RESEARCH RELATED LITERATURE

- Correia, TG, et al. 2010. Aluminum as an endocrine disruptor in female Nile tilapia (*Oreochromis niloticus*). *Comparative Biochemistry and Physiology, Part C: Toxicology & Pharmacology* **151(4):461-466**.
- Criscuolo-Urbinati, E, et al. 2012. The administration of exogenous prostaglandin may improve ovulation in pacu (*Piaractus mesopotamicus*). *Theriogenology* **78(9):2087-2094**.
- Cuevas-Uribe, R, et al. 2009. Progress in studies on hormonal sex reversal and genetic sex control in black crappie. *Reviews in Fisheries Science* **17(1):1-7**.
- Dada, AA and Ogunduyile, FD. 2011. Effects of velvet bean (*Mucuna pruriens*) on sperm quality of african catfish, *Clarias gariepinus* (Burchell, 1822) broodstock. *Journal of Fisheries and Aquatic Science* **6(6):655-661**.
- Drummond, CD, et al. 2009. Growth and survival of tilapia *Oreochromis niloticus* (Linnaeus, 1758) submitted to different temperatures during the process of sex reversal. *Cienciae Agrotecnologia* **33(3):895-902**.
- Dzyuba, B, et al. 2012. Spermatozoa motility, cryoresistance, and fertilizing ability in sterlet *Acipenser ruthenus* during sequential stripping. *Aquaculture* **356-357:272-278**.
- Dzieweczynski, TL. 2011. Short-term exposure to an endocrine disruptor affects behavioural consistency in male threespine stickleback. *Aquatic Toxicology* **105(3-4):681-687**.
- El-Greisy, ZA, and El-Gamal, AE. 2012. Monosex production of tilapia, *Oreochromis niloticus*, using different doses of 17α-methyltestosterone with respect to the degree of sex stability after one year of treatment. *The Egyptian Journal of Aquatic Research* **38(1):59-66**.
- El-Hawarry, WN, et al. 2012. Induced spawning of silver carp, *Hypophthalmichthys molitrix*, using hormones/hormonal analogue with dopamine antagonists. *Online Journal of Animal and Feed Research* **2(1):58-63**.
- El-Sayed, A-F, et al. 2012. Effects of phytoestrogens on sex reversal of Nile tilapia (*Oreochromis niloticus*) larvae fed diets treated with 17α-methyltestosterone. *Aquaculture* **360–361:58-63**.
- Elmdoust, ARA. 2011. Masculinization of blue hap (*Sciaenochromis ahli*) treated with 17 alphamethyltestosterone. *Journal of Agricultural Science and Technology* **13(2):173-180**.
- Espinosa, E, et al. 2011. Sex steroid levels in XY males and sex-reversed XX males, of rainbow trout (*Oncorhynchus mykiss*), during the reproductive cycle. *Reproduction in Domestic Animals* **46(1):8-14**.
- Felizardo, VO, et al. 2012. Effect of timing of hormonal induction on reproductive activity in lambari (*Astyanax bimaculatus*). *Theriogenology* **77(8):1570-1574**.
- Gao, Z-X, et al. 2010. Effects of a nonsteroidal aromatase inhibitor on gonadal differentiation of bluegill sunfish *Lepomis macrochirus*. *Aquaculture Research* **41(9):1282-1289**.
- Gennotte, V. 2012. Sperm quality analysis in XX, XY and YY males of the Nile tilapia (*Oreochromis niloticus*). *Theriogenology* **78(1):210-217**.
- Garber, AF, et al. 2009. Hormonal induction of ovulation and spermiation in Atlantic cod (*Gadus morhua*). *Aquaculture* **296(1-2):179-183**.
- Green, BW and Teichert-Coddington, DR. 2000. Human food safety and environmental assessment of the use of 17α-methyltestosterone to produce male tilapia in the United States. *Journal of the World Aquaculture Society* **31(3):337-357**.

AQUACULTURE DRUG RESEARCH RELATED LITERATURE

- Guzmán, JM, et al. 2011. Comparative effects of human chorionic gonadotropin (hCG) and gonadotropin-releasing hormone agonist (GnRHa) treatments on the stimulation of male Senegalese sole (*Solea semegalensis*) reproduction. *Aquaculture* 316(1-4):121-128.
- Haffray, P, et al. 2009. Genetic determination and temperature effects on turbot *Scophthalmus maximus* sex differentiation: an investigation using steroid sex-inverted males and females. *Aquaculture* **294(1-2):30-36**.
- Haffray, P, et al. 2009. Successful production of monosex female brook trout *Salvelinus fontinalis* using gynogenetic sex reversed males by a combination of methyltestosterone immersion and oral treatments. *Aquaculture* **290(1-2): 47-52**.
- Hallgren, S, et al. 2011. Anxiogenic behaviour induced by 17 alpha-ethynylestradiol in male guppies (*Poecilia reticulata*). Fish Physiology and Biochemistry **37(4):911-918**.
- Hano T, et al. 2011. Evaluation of the effects of ethinylestradiol on sexual differentiation in the olvas-GFP/STII-YI medaka (transgenic *Oryzias latipes*) strain as estimated by proliferative activity of germ cells. *Aquatic Toxicology* **104(3-4):177-184**.
- Haugen, T, et al. 2011. The production of hermaphrodites of Atlantic cod (*Gadus morhua*) by masculinization with orally administered 17-alpha-methyltestosterone, and subsequent production of all-female cod populations. *Aquaculture* **311(1-4):48-254**.
- Hayashi, Y, et al. 2010. High temperature causes masculinization of genetically female medaka by elevation of cortisol. *Molecular Reproduction and Development* **77(8):679-686**.
- Hill, JE, et al. 2009. Survey of Ovaprim use as a spawning aid in ornamental fishes in the United States as administered through the University of Florida Tropical Aquaculture Laboratory. *North American Journal of Aquaculture* **71(3):206-209**.
- Homklin, S, et al. 2009. Biodegradation of 17 alpha-methyltestosterone and isolation of MT-degrading bacterium from sediment of a Nile tilapia masculinization pond. *Water Science & Technology* **59(2):261-265**.
- Homklin, S, et al. 2011. Biotransformation of 17-alpha-methyltestosterone in sediment under different electron acceptor conditions. *Chemosphere* **82(10):1401-1407**.
- Homklin, S, et al. 2012. Degradation of 17α-methyltestosterone by *Rhodococcus* sp. and *Nocardioides* sp. isolated from a masculinizing pond of Nile tilapia fry. *Journal of Hazardous Materials* **221- 222:35-44**.
- Horváth, LL, et al. 2011. Induced oogenesis of the european eel (*Anguilla anguilla* L.) in freshwater condition. *Acta Biologica Hungarica* **62(4):485-488**.
- Hu, XS. 2011. Expression profiles of gonadotropins and their receptors during 17-methyltestosterone implantation-induced sex change in the orange-spotted grouper (*Epinephelus coioides*). *Molecular Reproduction and Development* **78(6):376-390**.
- Hulak, M, et al. 2010. Morphological sex change upon treatment by endocrine modulators in meiogynogenetic tench (*Tinca tinca* L.). *Aquaculture Research* **41(2):233-239**.
- Ibarra-Castro, L and Alvarez-Lajonchère, L. 2011. GnRHa-induced multiple spawns and volition spawning of captive spotted rose snapper, *Lutjanus guttatus*, at Mazatlan, Mexico. *Journal of the World Aquaculture Society* **42(4):564-574**.

AQUACULTURE DRUG RESEARCH RELATED LITERATURE

- Ibarra-Castro, L, et al. 2011. GnRHa-induced spawning with natural fertilization and pilot-scale mass production of common snook, *Centropomus undecimalis* (Bloch 1792). *Aquaculture* **319** (**3-4**):**479-483**.
- Jeng, S-R, et al. 2012. Differential regulation of the expression of cytochrome P450 aromatase, estrogen and androgen receptor subtypes in the brain-pituitary-ovarian axis of the Japanese eel (*Anguilla japonica*) reveals steroid dependent and independent mechanisms. *General and Comparative Endocrinology* 175(1):163-172.
- Jiang, W, et al. 2011. Effects of sexual steroids on the expression of foxl2 in *Gobiocypris rarus*. Comparative Biochemistry & Physiology Part B **160(4):187-193**.
- Kamaruzzaman, N, et al. 2009. Growth performance of mixed sex, hormonally sex reversed and progeny of YY male tilapia of the GIFT strain, *Oreochromis niloticus*. *Aquaculture Research* **40(6):720-728**.
- Kang, IJ, et al. 2008. The effects of methyltestosterone on the sexual development and reproduction of adult medaka (*Oryzias latipes*). *Aquatic Toxicology* **87(1):37-46**.
- Kaptaner, B and Unal, G. 2011. Effects of 17 alpha-ethynylestradiol and nonylphenol on liver and gonadal apoptosis and histopathology in *Chalcalburnus tarichi*. *Environmental Toxicology* **26(6):610-622**.
- Karami, A, et al. 2011. Ovaprim treatment promotes oocyte development and milt fertilization rate in diploid and triploid African catfish (*Clarias gariepinus*). *Aquaculture International* **19**(6):1025-1034.
- Kipouros, K, et al. 2011. Masculinization of the ornamental Siamese fighting fish with oral hormonal administration. *ScienceAsia* 37(3):277-280.
- Kitano, T, et al. 2012. Estrogen rescues masculinization of genetically female medaka by exposure to cortisol or high temperature. *Molecular Reproduction and Development* **79(10):719-726**.
- Kobayashi, H, et al. 2011. Effects of co-administration of estrogen and androgen on induction of sex reversal in the medaka *Oryzias latipes*. *Zoological Science* **28**(5):355-359.
- Kowalski, R, et al. 2012. Quality and quantity of smelt (*Osmerus eperlanus* L.) sperm in relation to time after hormonal stimulation. *Reproductive Biology* **12(2):231-246**.
- Krol, J, et al. 2009. The effects of commercial preparations containing two different GnRH analogues and dopamine antagonists on spermiation and sperm characteristics in the European smelt *Osmerus eperlanus* (L.). *Aquaculture* **286(3-4):328-331**.
- Kujawa, R, et al. 2011. Artificial spawning of common tench, *Tinca tinca* (Linnaeus, 1758), obtained from wild and domestic stocks. *Aquaculture International* **19(3):513-521**.
- Kuramochi, A, et al. 2011. Sexual dimorphism of gonadotropin-releasing hormone Type-III (GnRH3) neurons and hormonal sex reversal of male reproductive behavior in Mozambique tilapia. *Zoological Science* **28(10):733-739**.
- Kuzminski, H and Dobosz, S. 2010. Effect of sex reversal in rainbow trout (*Oncorhynchus mykiss* Walbaum) using 17-alfa-methyltestosterone and 11-beta-hydroxyandrostenedione. *Archives of Polish Fisheries* **18(1):45-49**.
- Lehnert, SJ, et al. 2012. Sperm trait differences between wild and farmed Chinook salmon (*Oncorhynchus tshawytscha*). Aquaculture **344-349:242-247**.

AQUACULTURE DRUG RESEARCH RELATED LITERATURE

- Li, SW, et al. 2009. Analysis of differential expression and characterization of PIN in the gonads during sex reversal in the red-spotted grouper. *Molecular and Cellular Endocrinology* **309**(1-2):32-38.
- Liarte, S, et al. 2011. Natural and synthetic estrogens modulate the inflammatory response in the gilthead seabream (*Sparus aurata* L.) through the activation of endothelial cells. *Molecular Immunology* **48**(15-16):1917-1925.
- Lim, H and Sorensen, PW. 2011. Polar metabolites synergize the activity of prostaglandin F.sub. 2[alpha] in a species-specific hormonal sex pheromone released by ovulated common carp. *Journal of Chemical Ecology* **37(7):695-704**.
- Lin, BL, et al. 2009. The fragmented testis method: development and its advantages of a new quantitative evaluation technique for detection of testis-ova in male fish. *Ecotoxicology and Environmental Safety* **72(2):286-292**.
- Lin, S, et al. 2012. Hormonal sex reversal in Atlantic cod, *Gadus morhua*. *Aquaculture* **364**–**365:192-197**.
- Luo, KK. 2011. Massive production of al-female diploids and triploids in the Crucian carp. *International Journal of Biological Sciences* **7(4):487-495**.
- Luo, Y-S, et al. 2010. Molecular cloning and mRNA expression pattern of Sox9 during sex reversal in orange-spotted grouper (*Epinephelus coioides*). *Aquaculture* **306(1-4):322-328**.
- Maria, AN, et al. 2012. Hormonal induction and semen characteristics of tambaqui *Colossoma macropomum*. *Zygote* **20(1):39-43**.
- Mathew, G. 2011. Gonadal restructuring during sex transformation in the protogynous greasy grouper *Epinephelus tauvina* (Forsskal) (Perciformes: Serranidae). *Indian Journal of Fisheries* **58**(1):39-43.
- Mazzeo, I, et al. 2012. Variations in the gene expression of zona pellucida proteins, zpbandzpc, in female European eel (*Anguilla anguilla*) during induced sexual maturation. *General and Comparative Endocrinology* **178(2):338-346**.
- Mortensen, AS. 2011. Tissue bioaccumulation patterns, xenobiotic biotransformation and steroid hormone levels in Atlantic salmon (*Salmo salar*) fed a diet containing perfluoroactane sulfonic or perfluoroactane carboxylic acids. *Chemosphere* 83(8):1035-1044.
- Mubarik, MS. 2011. 17 alpha-methyltestosterone induced masculinization and its effect on growth and meat quality of *Cyprinus carpio*. *International Journal of Agriculture and Biology* **13(6):971-975**.
- Murata, R, et al. 2010. Precocious sex change and spermatogenesis in the underyearling Malabar grouper *Epinephelus malabaricus* by androgen treatment. *Aquaculture Research* **41**(2):303-308.
- Naeem M, et al. 2011. Breeding performance of sustainable fish *Ctenopharyngodon idella* through single intramuscular injection of ovaprim-C at Bahawalpur, Pakistan. *African Journal of Biotechnology* **10**(57):12315-12318.
- Naeem M, et al. 2011. Induced spawning, fecundity, fertilization rate and hatching rate of grass carp (*Ctenopharyngodon idella*) by using a single intramuscular injection of ovaprim-C at a fish hatchery Faisalabad, Pakistan. *African Journal of Biotechnology* **10(53):11048-11053**.

AQUACULTURE DRUG RESEARCH RELATED LITERATURE

- Nallani, GC. 2012. Tissue-specific uptake and bioconcentration of the oral contraceptive norethindrone in two freshwater fishes. *Archives of Environmental Contamination and Toxicology* **62(2):306-313**.
- Navarro-Martín, L, et al. 2009. Balancing the effects of rearing at low temperature during early development on sex ratios, growth and maturation in the European sea bass (*Dicentrarchus labrax*). Aquaculture 296(3-4):347-358.
- Noori, A, et al. 2010. LHRHa-induced ovulation of the endangered Caspian brown trout (*Salmo trutta caspius*) and its effect on egg quality and two sex steroids: testosterone and 17 alpha—hydroxyprogestrone. *Aquaculture Research* **41(6):871-877**.
- Nynca, J, et al. 2012. Biochemical and physiological characteristics of semen of sex-reversed female rainbow trout (*Oncorhynchus mykiss*, Walbaum). *Theriogenology* **77(1):174-183**.
- Nynca, J, et al. 2012. Changes in sperm parameters of sex-reversed female rainbow trout during spawning season in relation to sperm parameters of normal males. *Theriogenology* **77(7):1381-1389**.
- Ogawa, A, et al. 2011. Induction of ovulation in *Xenopus* without hCG injection: the effect of adding steroids into the aquatic environment. *Reproductive Biology & Endocrinology* **9(1):1-6**.
- Olumuji, OK, and Mustapha, MK. 2012. Induced breeding of African mud catfish, *Clarias gariepinus* (Burchell 1822), using different doses of normal saline diluted Ovaprim. *Journal of Aquaculture Research & Development* **3(4): Article No. 133 (3 pages)**.
- Ong, SK, et al. 2012. Sorption of 17α-methyltestosterone onto soils and sediment. *Water, Air, & Soil Pollution* **223**(7):**3869-3875**.
- Orlu, EE and Ogbalu, OK. 2011. Effect of sublethal concentrations of *Lepidagathis alopecuroides* (vahl) on sperm quality, fertility and hatchability in gravid *Clarias gariepinus* (burcheli, 1822) broodstock. *Research Journal of Environmental Toxicology* **5(2):117-124**.
- Park, J-W, et al. 2011. The association between nC(60) and 17 alpha-ethinylestradiol (EE2) decreases EE2 bioavailability in zebrafish and alters nanoaggregate characteristics. *Nanotoxicology* **5(3):406-416**.
- Paulos, P, et al. 2010. Reproductive responses in fathead minnow and Japanese medaka following exposure to a synthetic progestin, norethindrone. *Aquatic Toxicology* **99(2):256-262**.
- Paul-Prasanth, B, et al. 2011. Exposure to diethylstilbestrol during embryonic and larval stages of medaka fish (*Oryzias latipes*) leads to sex reversal in genetic males and reduced gonad weight in genetic females. *Endocrinology* **152(2):707-717**.
- Pérez, LL, et al. 2011. Influence of temperature regime on endocrine parameters and vitellogenesis during experimental maturation of European eel (*Anguilla anguilla*) females. *General and Comparative Endocrinology* **174(1):51-59**.
- Phelps, RP and Okoko, M. 2011. A non-paradoxical dose response to 17 alpha- methyltestosterone by Nile tilapia *Oreochromis niloticus* (L.): effects on the sex ratio, growth and gonadal development. *Aquaculture Research* **42(4):549-558**.
- Phumyu, N, et al. 2012. Pubertal effects of 17α-methyltestosterone on GH-IGF-related genes of the hypothalamic-pituitary-liver-gonadal axis and other biological parameters in male, female and sexreversed Nile tilapia. *General & Comparative Endocrinology* **177(2):278-292**.

AQUACULTURE DRUG RESEARCH RELATED LITERATURE

- Piau, R Jr., et al. 2012. Morphometry of white muscle fibers and performance of Nile tilapia (*Oreochromis niloticus*) fingerlings treated with methyltestosterone or a homeopathic complex. *Homeopathy* **101(3):154-158**.
- Podhorec, P, et al. 2012. The effects of water temperature and hormone treatments on circulating LH and ovulation in tench (*Tinca tinca*). *Reviews in Fish Biology and Fisheries* **22(3):791-796**.
- Razmi, K, et al. 2011. Hormonal sex reversal of rainbow trout (*Oncorhynchus mykiss*) by ethynylestradiol-17 α (EE2). *Iranian Journal of Fisheries Sciences* **10(2):304-315**.
- Reyhanian, N, et al. 2011. 17 alpha-ethinyl estradiol affects anxiety and shoaling behavior in adult male zebra fish (*Danio rerio*). *Aquatic Toxicology* **105(1-2):41-48**.
- Ribeiro, C, et al. 2012. In vitro exposure of Nile tilapia (*Oreochromis niloticus*) testis to estrogenic endocrine disrupting chemicals: mRNA expression of genes encoding steroidogenic enzymes. *Toxicology Mechanisms and Methods* **22(1):47-53**.
- Ruksana, S, et al. 2010. Efficacy of exemestane, a new generation of aromatase inhibitor, on sex differentiation in a gonochoristic fish. *Comparative Biochemistry and Physiology, Part C: Toxicology & Pharmacology* **152(1):69-74**.
- Selim, KM, et al. 2009. Effects of high temperature on sex differentiation and germ cell population in medaka, *Oryzias latipes*. *Aquaculture* **289(3-4):340-349**.
- Sharaf, SM. 2012. Effect of GnRHa, pimozide and Ovaprim on ovulation and plasma sex steroid hormones in African catfish *Clarias gariepinus*. *Theriogenology* **77(8):1709-1716**.
- Shi, Y, et al. 2010. Molecular identification of the Kiss2/Kiss1ra system and its potential function during 17alpha-methyltestosterone-induced sex reversal in the orange-spotted grouper, *Epinephelus coioides*. *Biology of Reproduction* **83(1):63-74**.
- Shi, Y, et al. 2012. Molecular identification of an androgen receptor and its changes in mRNA levels during 17α-methyltestosterone-induced sex reversal in the orange-spotted grouper *Epinephelus coioides*. *Comparative Biochemistry & Physiology Part B: Biochemistry and Molecular Biology* **163(1):43-50**.
- Sreenivasulu, G. 2012. Expression and immunolocalization of 20 beta-hydroxysteroid dehydrogenase during testicular cycle and after hCG induction, in vivo in the catfish, *Clarias gariepinus*. *General and Comparative Endrocrinology* **175(1):48-54**.
- Srivastava, PP, et al. 2012. Breeding and larval rearing of Asian catfish, *Clarias batrachus* (Linnaeus, 1758) on live and artificial feed. *Journal of Aquaculture Research & Development* **3(4): Article No. 134 (4 pages)**.
- Stacey, NE, et al. 2012. Male primer endocrine responses to preovulatory female cyprinids under natural conditions in Sweden. *Journal of Fish Biology* **80(1):147-165**.
- Stevenson, LM, et al. 2011. Reproductive consequences of exposure to waterborne phytoestrogens in male fighting fish *Betta splendens*. *Archives of Environmental Contamination and Toxicology* **60(3):501-510**.
- Su, B, et al. 2013. Relative effectiveness of carp pituitary extract, luteininzing hormone releasing hormone analog (LHRHa) injections and LHRHa implants for producing hybrid catfish fry. *Aquaculture* **372–375:133-136**.

AQUACULTURE DRUG RESEARCH RELATED LITERATURE

- Sugni, M, et al. 20101. Chemical fate and biological effects of several endocrine disrupters compounds in two echinoderm species. *Ecotoxicology* **19(3):538-554**.
- Sun, L, et al. 2011. Transcriptional responses in Japanese medaka (*Oryzias latipes*) exposed to binary mixtures of an estrogen and anti-estrogens. *Aquatic Toxicology* **105(3-4):629-639**.
- Sun, P, et al. 2010. Steroid sex hormone dynamics during estradiol-17 beta induced gonadal differentiation in *Paralichthys olivaceus* (Teleostei). *Chinese Journal of Oceanology and Limnology* **28(2):254-259**.
- Swapna, I and Senthilkumaran, B. 2009. Influence of ethynylestradiol and methyltestosterone on the hypothalamo-hypophyseal-gonadal axis of adult air-breathing catfish, *Clarias gariepinus*. *Aquatic Toxicology* **95(3):222-229**.
- Targońska K and Kucharczyk, D. 2011. The application of hCG, CPH and ovopel in successful artificial reproduction of goldfish (*Carassius auratus auratus*) under controlled conditions. *Reproduction in Domestic Animals* **46(4):651-655**.
- Targońska K, et al. 2011. Artificial reproduction of wild and cultured barbel (*Barbus barbus*, Cyprinidae) under controlled conditions. *Acta Veterinaria Hungarica* **59(3):363-372**.
- Targońska, K, et al. 2010. Controlled reproduction of asp, *Aspius aspius* (L.) using luteinizing hormone releasing hormone (LHRH) analogues with dopamine inhibitors. *Aquaculture* **306(1-4):407-410**.
- Tessaro, L. 2012. Growth and reproductive characteristics of *Rhamdia quelen* males fed on different digestible energy levels in the reproductive phase. *Aquaculture* **326-329:74-80**.
- Tokumoto, T, et al. 2011. In vivo induction of oocyte maturation and ovulation in zebrafish. *PLoS One* **6(9)**; **Article Number e25206**.
- Tong, SK, et al. 2010. Zebrafish monosex population reveals female dominance in sex determination and earliest events of gonad differentiation. *Developmental Biology* **344(2):849-856**.
- Vazirzadeh, A, et al. 2011. Comparison of the effects of different methods of mammalian and salmon GnRHa administration on spawning performance in wild-caught female carp (*Cyprinus carpio carpio*) from the Caspian sea. *Aquaculture* **320(1-2):123-128.**
- Vincent, M and Thomas, KJ. 2008. Nuptial colouration and courtship behaviour during induced breeding of the swamp barb *Puntius chola*, a freshwater fish. *Current Science* **94**(7):922-925.
- Wang, HP, et al. 2008. Effects of estradiol-17 beta on survival, growth performance, sex reversal, and gonadal structure of bluegill sunfish *Lepomis macrochirus*. *Aquaculture* **285(1-4):216-223**.
- Weng, Y, et al. 2010. Survival and reproduction in post-spawning Japanese eel, *Anguilla japonica*. *Journal of Fishery Sciences of China* **17(6):1218-1224**.
- Woods, M and Kumar, A. 2011. Vitellogenin induction by 17 beta-estradiol and 17 alphaethynylestradiol in male Murray rainbowfish (Melanotaenia fluviatilis). Environmental Toxicology and Chemistry 30(11):2620-2627.
- Wu, T, et al. 2012. Expression of zona pellucida B proteins in juvenile rare minnow (*Gobiocypris rarus*) exposed to 17 alpha-ethinylestradiol, 4-nonylphenol and bisphenol A. *Comparative Biochemistry and Physiology Part C Toxicology & Pharmacology* **155(2):259-268**.

AQUACULTURE DRUG RESEARCH RELATED LITERATURE

(Master List, Updated December 20, 2012)

- Yamaguchi, T, and Kitano, T. 2012. High temperature induces cyp26b1 mRNA expression and delays meiotic initiation of germ cells by increasing cortisol levels during gonadal sex differentiation in Japanese flounder. *Biochemical & Biophysical Research Communications* **419**(2):287-292.
- Yaron, Z, et al. 2009. Spawning induction in the carp: past experience and future prospects a review. *Israeli Journal of Aquaculture/Bamidgeh* **61(1):5-26**.
- Zanardi, MF. 2011. Hormone concentration in carcass of Nile tilapia submitted to early maturation after sexual reversion. *Revista Brasileira de Zootecnia* **40(1):7-11**.
- Zhang, D, et al. 2010. Temporal expression and steroidal regulation of piRNA pathway genes (mael, piwi, vasa) during Silurana (Xenopus) tropicalis embryogenesis and early larval development. *Comparative Biochemistry and Physiology, Part C: Toxicology & Pharmacology* **152(2):202-206**.
- Zhuo, Q, et al. 2012. Gonadotropin-releasing hormone analogue multiple injection potentially accelerated testicular maturation of male yellow catfish (*Pelteobagrus fluvidraco*, Richardson) in captivity. *Aquaculture Research* **43(3):467-480**.
- Zuberi, A, et al. 2011. Effect of human chorionic gonadotropin (hCG) on in vitro oocyte maturation in freshwater cyprinid, *Barilius vagra*. *African Journal of Biotechnology* **10(74):16986-16993**.
- Zuberi, A, et al. 2011. Relative in vitro effectiveness of several gonadal steroids on oocyte maturation in freshwater teleost *Barilius vagra*. *African Journal of Biotechnology* **10**(55):11772-11777.

Vaccines/Biologics—Salmonids

- Adomako, M, et al. 2012. Oral DNA vaccination of rainbow trout, *Oncorhynchus mykiss* (Walbaum), against infectious haematopoietic necrosis virus using PLGA [Poly(D,L-Lactic-Co-Glycolic Acid)] nanoparticles. *Journal of Fish Diseases* **35(3):203-214**.
- Aykanat, T, et al. 2012. Additive, non-additive and maternal effects of cytokine transcription in response to immunostimulation with Vibrio vaccine in Chinook salmon (*Oncorhynchus tshawytscha*). *Immunogenetics* **64(9):691-703**.
- Ballesteros, NA, et al. 2012. Oral immunization of rainbow trout to infectious pancreatic necrosis virus (IPNV) induces different immune gene expression profiles in head kidney and pyloric ceca. *Fish & Shellfish Immunology* **33(2):174-185**.
- Bastardo, A, et al. 2012. Effectiveness of bivalent vaccines against *Aeromonas hydrophila* and *Lactococcus garvieae* infections in rainbow trout *Oncorhynchus mykiss* (Walbaum). *Fish & Shellfish Immunology* **32(5):756-761**.
- Bastardo, A, et al. 2012. Highly sensitive detection and quantification of the pathogen *Yersinia ruckeri* in fish tissues by using real-time PCR. *Applied Microbiology and Biotechnology* **96(2):511-520**.
- Bridle, AR, et al. 2012. Identification of surrogates of protection against Yersiniosis in immersion vaccinated Atlantic salmon. *PLoS ONE* **7(7):e40841**.
- Deshmukh, S, et al. 2012. Comparative protection of two different commercial vaccines against Yersinia ruckeri serotype O1 and biotype 2 in rainbow trout (*Oncorhynchus mykiss*). *Veterinary Immunology and Immunopathology* **145(1-2):379-385**.
- Drangsholt, TMK, et al. 2012. Genetic correlations between disease resistance, vaccine-induced side effects and harvest body weight in Atlantic salmon (*Salmo salar*). *Aquaculture* **324-325:312-314**.

AQUACULTURE DRUG RESEARCH RELATED LITERATURE

- Fjelldal, PG, et al. 2012. Vaccination and elevated dietary phosphorus reduces the incidence of early sexual maturation in Atlantic salmon (*Salmo salar* L.). *Aquaculture* **364–365:333-337**.
- Fredriksen, BN, and Grip, J. 2012. PLGA/PLA micro- and nanoparticle formulations serve as antigen depots and induce elevated humoral responses after immunization of Atlantic salmon (*Salmo salar L.*). *Vaccine* **30(3):656-667**.
- Gliniewicz, K, et al. 2012. Comparative proteomic analysis of virulent and rifampicin-attenuated *Flavobacterium psychrophilum. Journal of Fish Diseases* **35(7):529-539**.
- Hedrick, RP, et al. 2012. Invasion and initial replication of ultraviolet irradiated waterborne infective stages of *Myxobolus cerebralis* results in immunity to whirling disease in rainbow trout. *International Journal for Parasitology* **42(7):657-666**.
- Jensen, BB, et al. 2012. Cohort study of effect of vaccination on pancreas disease in Norwegian salmon aquaculture. *Diseases of Aquatic Organisms* **102(1):23-31**.
- Karlsen, M, et al. *In press*. Efficacy and safety of an inactivated vaccine against salmonid alphavirus (family Togaviridae). *Vaccine*.
- Lafrentz, BR, et al. 2012. Reproducible challenge model to investigate the virulence of *Flavobacterium columnare* genomovars in rainbow trout *Oncorhynchus mykiss*. *Diseases of Aquatic Organisms* **101(2):115-122**.
- LeBlanc, F, et al. 2012. Transcriptional response of Atlantic salmon (*Salmo salar*) after primary versus secondary exposure to infectious salmon anemia virus (ISAV). *Molecular Immunology* **51**(2):197-209.
- Li-Li, Z, et al. 2012. Expression of infectious pancreatic necrosis virus (IPNV) VP2-VP3 fusion protein in *Lactobacillus casei* and immunogenicity in rainbow trouts. *Vaccine* **30(10):1823-1829**.
- Martinez-Alonso, S, et al. 2012. Immune responses elicited in rainbow trout through the administration of infectious pancreatic necrosis virus-like particles. *Developmental and Comparative Immunology* **36(2):378-384**.
- Min, L, et al. 2012. Immunogenicity of *Lactobacillus*-expressing VP2 and VP3 of the infectious pancreatic necrosis virus (IPNV) in rainbow trout. *Fish & Shellfish Immunology* **32(1):196-203**.
- Monte, MM, et al. 2012. Cloning and expression analysis of two ROR-γ homologues (ROR-γa1 and ROR-γa2) in rainbow trout *Oncorhynchus mykiss*. *Fish & Shellfish Immunology* **33(2):365-374**.
- Munang'andu, HM, et al. 2012. Comparison of vaccine efficacy for different antigen delivery systems for infectious pancreatic necrosis virus vaccines in Atlantic salmon (*Salmo salar* L.) in a cohabitation challenge model. *Vaccine* **30**(27):4007-4016.
- Ortega-Villaizan, M, et al. 2012. *Ex vivo* transfection of trout pronephros leukocytes, a model for cell culture screening of fish DNA vaccine candidates. *Vaccine* **30(41):5983-5990**.
- Rivas-Aravena, A, et al. 2012. Evaluation of the immune response against immature viral particles of infectious pancreatic necrosis virus (IPNV): a new model to develop an attenuated vaccine. *Vaccine* **30(34):5110-5117**.
- Romstad, AB, et al. 2012. Development of an antibody ELISA for potency testing of furunculosis (*Aeromonas salmonicida* subsp *salmonicida*) vaccines in Atlantic salmon (*Salmo salar* L). *Biologicals* **40(1):67-71**.

AQUACULTURE DRUG RESEARCH RELATED LITERATURE

(Master List, Updated December 20, 2012)

- Skov, J, et al. 2012. Immunomodulatory effects of dietary Î²-1,3-glucan from *Euglena gracilisin* in rainbow trout (*Oncorhynchus mykiss*) immersion vaccinated against *Yersinia ruckeri*. Fish & Shellfish Immunology **33(1):111-120**.
- Thim, HL, et al. 2012. Immunoprotective activity of a salmonid alphavirus vaccine: cmparison of the immune responses induced by inactivated whole virus antigen formulations based on CpG class B oligonucleotides and poly I:C alone or combined with an oil adjuvant. *Vaccine* 30(32):4828-4834.
- Wilda, M, et al. 2012. Development and preliminary validation of an antibody filtration-assisted single-dilution chemiluminometric immunoassay for potency testing of *Piscirickettsia salmonis* vaccines. *Biologicals* **40(6):415-420**.
- Xu, C, et al. 2012. Superior protection conferred by inactivated whole virus vaccine over subunit and DNA vaccines against salmonid alphavirus infection in Atlantic salmon (*Salmo salar* L.). *Vaccine* **30(26):3918-3928**.

Vaccines/Biologics—Catfish

- Bebak, J, and Wagner, B. 2012. Use of vaccination against enteric septicemia of catfish and columnaris disease by the U.S. catfish industry. *Journal of Aquatic Animal Health* **24(1):30-36**.
- Pohlenz, C, et al. 2012. Synergies between vaccination and dietary arginine and glutamine supplementation improve the immune response of channel catfish against *Edwardsiella ictaluri*. *Fish & Shellfish Immunology* **33(3):543-551**.
- Pridgeon, JW, et al. 2012. Global transcription analysis of vaccinated channel catfish following challenge with virulent *Edwardsiella ictaluri*. *Veterinary Immunology and Immunopathology* **146(1):53-61**.
- Pridgeon, JW, et al. 2012. Global gene expression in channel catfish after vaccination with an attenuated *Edwardsiella ictaluri*. Fish & Shellfish Immunology **32(4):524-533**.
- Santander Morales, J, et al. 2012. Fur-regulated iron uptake system of *Edwardsiella ictaluri* and its influence on pathogenesis and immunogenicity in the catfish host. *Infection and Immunity* **80(8):2689-2703**.
- Yang, M, et al. 2012. *Edwardsiella* comparative phylogenomics reveal the new intra/inter-species taxonomic relationships, virulence evolution and niche adaptation mechanisms. *PLoS ONE* **7(5):e36987**.

Vaccines/Biologics—Tilapia

- Chen, M, et al. 2012. Screening vaccine candidate strains against *Streptococcus agalactiae* of tilapia based on PFGE genotype. *Vaccine* **30(42):6088-6092**.
- Misumi, I, et al. 2012. Immune protection of Mozambique tilapia (*Oreochromis mossambicus*) exposed to different infectious doses of ectoparasite (*Cryptocaryon irritans*). *Parasitology Research* 110(1):363-372.
- Pridgeon, JW, et al. 2012. Efficacy of QCDCR formulated CpG ODN 2007 in Nile tilapia against *Streptococcus iniae* and identification of upregulated genes. *Veterinary Immunology and Immunopathology* **145(1-2):179-190**.
- Salvador, R, et al. 2012. Inflammatory responses of Nile tilapia *Oreochromis niloticus* to *Streptococcus agalactiae*: effects of vaccination and yeast diet supplement. *Diseases of Aquatic Organisms* **98(3):235-241**.

AQUACULTURE DRUG RESEARCH RELATED LITERATURE

(Master List, Updated December 20, 2012)

Shoemaker, CA, et al. 2012. Bivalent vaccination of sex reversed hybrid tilapia against *Streptococcus iniae* and *Vibrio vulnificus*. *Aquaculture* **354-355:45-49**.

Vaccines/Biologics—Shrimp

- Bartholomay, LC, et al. 2012. Nucleic-acid based antivirals: augmenting RNA interference to 'vaccinate' *Litopenaeus vannamei*. *Journal of Invertebrate Pathology* **110(2):261-266**.
- Yang, J-Y, et al. 2012. Viral resistance and immune responses of the shrimp *Litopenaeus vannamei* vaccinated by two WSSV structural proteins. *Immunology Letters* **148(1):41-48**.
- Yogeeswaran, A, et al. 2012. Protection of *Penaeus monodon* against white spot syndrome virus by inactivated vaccine with herbal immunostimulants. *Fish & Shellfish Immunology* **32(6):1058-1067**.
- Zhi, B, et al. 2011. Enhancement of shrimp antiviral immune response through caspase-dependent apoptosis by small molecules. *Marine Biotechnology* **13(3):575-83**.
- Zhu, F and Zhang, X. 2012. Protection of shrimp against white spot syndrome virus (WSSV) with [beta]-1,3-d-glucan-encapsulated vp28-siRNA particles. *Marine Biotechnology* **14**(1):**63-68**.

Vaccines/Biologics—Miscellaneous

- Budiño, B, et al. 2012. Characterization of *Philasterides dicentrarchi* isolates that are pathogenic to turbot: serology and cross-protective immunity. *Aquaculture* **364–365:130-136**.
- Fan, T, et al. 2012. Development of an inactivated iridovirus vaccine against turbot viral reddish body syndrome. *Journal of Ocean University of China* **11(1):65-69**.
- Fu, X, et al. 2012. Protective immunity against iridovirus disease in mandarin fish, induced by recombinant major capsid protein of infectious spleen and kidney necrosis virus. *Fish & Shellfish Immunology* **33(4):880-885**.
- Hart, LM, et al. 2012. Efficacy of a glycoprotein DNA vaccine against viral haemorrhagic septicaemia (VHS) in Pacific herring, *Clupea pallasii* Valenciennes. *Journal of Fish Diseases* **35(10):775-779**.
- Hu, Y-h, et al. 2012. Development and efficacy of an attenuated *Vibrio harveyi* vaccine candidate with cross protectivity against *Vibrio alginolyticus*. Fish & Shellfish Immunology **32(6):1155-1161**.
- Hu, Y-h, et al. 2012. Japanese flounder (*Paralichthys olivaceus*) Hsp70: adjuvant effect and its dependence on the intrinsic ATPase activity. *Fish & Shellfish Immunology* **33(4):829-834**.
- Jin, R-p, et al. 2012. *Edwardsiella tarda* sialidase: pathogenicity involvement and vaccine potential. *Fish & Shellfish Immunology* **33(3):514-521**.
- Kato, G, et al. 2011. Vaccine efficacy of *Mycobacterium bovis* BCG against *Mycobacterium* sp. infection in amberjack *Seriola dumerili*. Fish & Shellfish Immunology **30(2):467-472**.
- Kato, G, et al. 2012. *Mycobacterium bovis* BCG vaccine induces non-specific immune responses in Japanese flounder against *Nocardia seriolae*. *Fish & Shellfish Immunology* **33(2):243-250**.
- Kim, S, et al. 2011. In vitro antiviral activity of red alga, *Polysiphonia morrowii* extract and its bromophenols against fish pathogenic infectious hematopoietic necrosis virus and infectious pancreatic necrosis virus. *The Journal of Microbiology* **49(1):102-106**.

AQUACULTURE DRUG RESEARCH RELATED LITERATURE

- Lafrentz, BR, et al. 2011. Modified live *Edwardsiella ictaluri* vaccine, AQUAVAC-ESC, lacks multidrug resistance plasmids. *Journal of Aquatic Animal Health* **23(4):195-199**.
- Liang, S, et al. 2012. Immune response of turbot (*Scophthalmus maximus* L.) to a broad spectrum vaccine candidate, recombinant glyceraldehyde-3-phosphate dehydrogenase of *Edwardsiella tarda*. *Veterinary Immunology and Immunopathology* **150(3):198-205**.
- Maiti, B, et al. 2012. Evaluation of two outer membrane proteins, Aha1 and OmpW, of *Aeromonas hydrophila* as vaccine candidate for common carp. *Veterinary Immunology and Immunopathology* **149**(3-4):298-301.
- Millard, CM, et al. 2012. Evolution of the capsular operon of *Streptococcus iniae* in response to vaccination. *Applied and Environmental Microbiology* **78(23):8219-8226**.
- Mu, Y, et al. 2012. A vector that expresses VP28 of WSSV can protect red swamp crayfish from white spot disease. *Developmental and Comparative Immunology* **36(2):442-449**.
- Nam, B-H, et al. 2012. Purification and characterization of an antimicrobial histone H1-like protein and its gene from the testes of olive flounder, *Paralichthys olivaceus*. Fish & Shellfish Immunology 33(1):92-98.
- Ou-yang, Z, et al. 2012. Selection and identification of Singapore grouper iridovirus vaccine candidate antigens using bioinformatics and DNA vaccination. *Veterinary Immunology and Immunopathology* **149(1-2):38-45**.
- Ou-yang, Z, et al. 2012. Immunogenicity and protective effects of inactivated Singapore grouper iridovirus (SGIV) vaccines in orange-spotted grouper, *Epinephelus coioides*. *Developmental and Comparative Immunology* **38(2):254-261**.
- Peng, X-X. 2013. Proteomics and its applications to aquaculture in China: infection, immunity, and interaction of aquaculture hosts with pathogens. *Developmental and Comparative Immunology* **39(1-2):63-71**. (review article)
- Rowley, AF and Pope, EC. 2012. Vaccines and crustacean aquaculture—a mechanistic exploration. *Aquaculture* **334-337:1-11**.
- Sarropoulou, E, et al. 2012. Characterization of European sea bass transcripts by RNA SEQ after oral vaccine against *V. anguillarum. Marine Biotechnology* **14(5):634-642**.
- Sun, Y, et al. 2012. Construction and comparative study of monovalent and multivalent DNA vaccines against *Streptococcus iniae*. Fish & Shellfish Immunology **33(6):1303-1310**.
- Wang, Y, et al. 2012. Identification and characterization of a hepcidin from half-smooth tongue sole *Cynoglossus semilaevis*. Fish & Shellfish Immunology **33(2):213-219**.
- Yu, L-P, et al. 2012. C312M: an attenuated *Vibrio anguillarum* strain that induces immunoprotection as an oral and immersion vaccine. *Diseases of Aquatic Organisms* **102(1):33-42**.
- Zhang, M, et al. 2012. Construction and analysis of experimental DNA vaccines against megalocytivirus. *Fish & Shellfish Immunology* **33(5):1192-1198**.

AQUACULTURE DRUG RESEARCH RELATED LITERATURE

(Master List, Updated December 20, 2012)

Probiotics

- Ahmadvand, S. et al. 2012. Effect of frozen *Daphnia magna* diet mixed with probiotic protexin on growth and survival of rainbow trout (*Onchorhynchus mykiss*) fry reared under controlled conditions. *Online Journal of Animal and Feed Research* 2(1):34-39.
- Andani, HRR, et al. 2012. Antagonistic activity of two potential probiotic bacteria from fish intestines and investigation of their effects on growth performance and immune response in rainbow trout (*Oncorhynchus mykiss*). *Journal of Applied Ichthyology* **28**(5):728-734.
- Aranda, CP, et al. 2012. Bacteriostatic anti-*Vibrio parahaemolyticus* activity of *Pseudoalteromonas* sp. strains DIT09, DIT44 and DIT46 isolated from Southern Chilean intertidal *Perumytilus purpuratus*. *World Journal of Microbiology & Biotechnology* **28(6):2365-2374**.
- Bartley, MS, et al. 2012. Conservation aquaculture of northern leatherside chub and effects of temperature on egg survival. *North American Journal of Aquaculture* **74(3):289-296**.
- Boutin, S, et al. 2012. Antagonistic effect of indigenous skin bacteria of brook charr (*Salvelinus fontinalis*) against *Flavobacterium columnare* and *F. psychrophilum. Veterinary Microbiology* **155(2-4):355-361.**
- Burbank, DR, et al. 2011. Enhanced resistance to coldwater disease following feeding of probiotic bacterial strains to rainbow trout (*Oncorhynchus mykiss*). *Aquaculture* **321(3-4):185-190**.
- Burbank, DR, et al. 2012. Isolation of bacterial probiotic candidates from the gastrointestinal tract of rainbow trout, *Oncorhynchus mykiss* (Walbaum), and screening for inhibitory activity against *Flavobacterium psychrophilum. Journal of Fish Diseases* **35(11):809-816**.
- Cerezuela, R, et al. 2012. Increases in immune parameters by inulin and *Bacillus subtilis* dietary administration to gilthead seabream (*Sparus aurata* L.) did not correlate with disease resistance to *Photobacterium damselae*. Fish & Shellfish Immunology 32(6):1032-1040.
- Cerezuela, R, et al. 2012. Effects of dietary inulin and heat-inactivated *Bacillus subtilis* on gilthead seabream (*Sparus aurata* L.) innate immune parameters. *Beneficial Microbes* **3(1):77-81**.
- Cerezuela, R, et al. 2012. Effects of dietary *Bacillus subtilis*, *Tetraselmis chuii*, and *Phaeodactylum tricornutum*, singularly or in combination, on the immune response and disease resistance of sea bream (*Sparus aurata* L.). Fish & Shellfish Immunology 33(2):342-349.
- Cerezuela, R, et al. 2012. Histological alterations and microbial ecology of the intestine in gilthead seabream (*Sparus aurata* L.) fed dietary probiotics and microalgae. *Cell and Tissue Research* **350(3):477-489**.
- Dias, DC, et al. 2012. Effect of incorporating probiotics into the diet of matrinxa (*Brycon amazonicus*) breeders. *Journal of Applied Ichthyology* **28(1):40-45**.
- Garcia de la Banda, I, et al. 2012. Influence of dietary administration of a probiotic strain *Shewanella* putrefaciens on Senegalese sole (*Solea senegalensis*, Kaup 1858) growth, body composition and resistance to *Photobacterium damselae* subsp piscicida. Aquaculture Research 43(5):662-669.
- Geng, X, et al. 2012. Effects of dietary probiotic on the growth performance, non-specific immunity and disease resistance of cobia, *Rachycentron canadum*. *Aquaculture Nutrition* **18(1):46-55**.
- Giri, SS, et al. 2012. Effects of dietary supplementation of potential probiotic *Pseudomonas aeruginosa* VSG-2 on the innate immunity and disease resistance of tropical freshwater fish, *Labeo rohita*. *Fish & Shellfish Immunology* **32(6):1135-1140**.

AQUACULTURE DRUG RESEARCH RELATED LITERATURE

- Grześkowiak, L, et al. 2012. Evaluation of aggregation abilities between commensal fish bacteria and pathogens. *Aquaculture* **356-357:412-414**.
- Heo, W-S, et al. 2013. Effects of dietary probiotic, *Lactococcus lactis* subsp. *lactis* I2, supplementation on the growth and immune response of olive flounder (*Paralichthys olivaceus*). *Aquaculture* 376–379:20-24.
- Korkea-aho, TL, et al. 2012. Pseudomonas M162 confers protection against rainbow trout fry syndrome by stimulating immunity. *Journal of Applied Microbiology* **113(1):24-35**.
- Liu, C-H, et al. 2012. Dietary administration of the probiotic, *Bacillus subtilis* E20, enhances the growth, innate immune responses, and disease resistance of the grouper, *Epinephelus coioides*. *Fish & Shellfish Immunology* **33(4):699-706**.
- Mohapatra, S, et al. 2012. Fenvalerate induced stress mitigation by dietary supplementation of multispecies probiotic mixture in a tropical freshwater fish, *Labeo rohita* (Hamilton). *Pesticide Biochemistry & Physiology* **104(1):28-37**.
- Oliva-Teles, A. 2012. Nutrition and health of aquaculture fish. *Journal of Fish Diseases* **35(2):83-108**. (**review article**)
- Raggi, T, and Gatlin III, DM. 2012. Prebiotics have limited effects on nutrient digestibility of a diet based on fish meal and soybean meal in goldfish. *North American Journal of Aquaculture* **74(3):400-407**.
- Reyes-Becerril, M, et al. 2012. Effects of marine silages enriched with *Lactobacillus sakei* 5-4 on haemato-immunological and growth response in Pacific red snapper (*Lutjanus peru*) exposed to *Aeromonas veronii*. Fish & Shellfish Immunology 33(4):984-992.
- Román, L, et al. 2012. The *in vitro* effect of probiotic *Vagococcus fluvialis* on the innate immune parameters of *Sparus aurata* and *Dicentrarchus labrax*. *Fish & Shellfish Immunology* **33(5):1071-1075**.
- Ridha, MT, and Azad, IS. 2012. Preliminary evaluation of growth performance and immune response of Nile tilapia *Oreochromis niloticus* supplemented with two putative probiotic bacteria. *Aquaculture Research* **43(6):843-852**.
- Sun, Y.-Z, et al. 2012. Effect of *Lactococcus lactis* and *Enterococcus faecium* on growth performance, digestive enzymes and immune response of grouper *Epinephelus coioides*. *Aquaculture Nutrition* **18**(3):281-289.
- Touraki, M, et al. 2012. Evaluation of the probiotics *Bacillus subtilis* and *Lactobacillus plantarum* bioencapsulated in *Artemia nauplii* against vibriosis in European sea bass larvae (*Dicentrarchus labrax*, L.). World Journal of Microbiology & Biotechnology 28(6):2425-2433.
- Wu, ZX, et al. 2012. Effect of probiotic *Bacillus subtilis* Ch9 for grass carp, *Ctenopharyngodon idella* (Valenciennes, 1844), on growth performance, digestive enzyme activities and intestinal microflora. *Journal of Applied Ichthyology* **28**(5):721-727.
- Xueqin, J, et al. 2012. Comparative effects of four feed types on white spot disease susceptibility and skin immune parameters in rainbow trout, *Oncorhynchus mykiss* (Walbaum). *Journal of Fish Diseases* **35(2):127-135**.

AQUACULTURE DRUG RESEARCH RELATED LITERATURE

(Master List, Updated December 20, 2012)

Miscellaneous Articles

- Acosta, J, et al. 2013. Cloning and functional characterization of three novel antimicrobial peptides from tilapia (*Oreochromis niloticus*). *Aquaculture* **372–375:9-18**.
- Aguilera, B, et al. 2009. Otolith growth of European sea bass (*Dicentrarchus labrax* L.) larvae fed with constant or varying food levels. *Scientia Marina* (*Barcelona*) **73(1):173-182**.
- Alechaga, E, et al. 2012. Ultra-high performance liquid chromatography-tandem mass spectrometry for the analysis of phenicol drugs and florfenicol-amine in foods. *Analyst* **137(10):2486-2494**.
- Altintzoglou, T, et al. 2011. Association of health involvement and attitudes towards eating fish on farmed and wild fish consumption in Belgium, Norway and Spain. *Aquaculture International* **19**(3):475-488.
- Azzouz, A, et al. 2011. Determination of residual pharmaceuticals in edible animal tissues by continuous solid-phase extraction and gas chromatography-mass spectrometry. *Talanta* 84(3):820-828.
- Björnsson, B, et al. 2012. Optimal stocking density of juvenile Atlantic cod (*Gadus morhua* L.) reared in a land-based farm. *Aquaculture* **356-357:342-350**.
- Boyd, CE, et al. 2011. Interpretation of pH, acidity, and alkalinity in aquaculture and fisheries. *North American Journal of Aquaculture* **73:403-408**.
- Broughton, EI, and Walker, DG. 2010. Policies and practices for aquaculture food safety in China. *Food Policy* **35(5):471-478**.
- Browman, HI, and Skiftesvik, AB. 2011. Welfare of aquatic organisms: is there some faith-based HARKing going on here? *Diseases of Aquatic Organisms* **94(3):255-257**.
- Burnley, T, et al. Post-handling mortality during controlled field trials with marine grow-out Atlantic salmon, *Salmo salar* L. *Aquaculture* **368-369:55-60**.
- Bueno, MJM, et al. 2009. Application of passive sampling devices for screening of micro-pollutants in marine aquaculture using LC-MS/MS. *Talanta* 77(4):1518-1527.
- Carballeira, C, et al. 2012. Assessing the toxicity of chemical compounds associated with land-based marine fish farms: the sea urchin embryo bioassay with *Paracentrotus lividus* and *Arbacia lixula*. *Archives of Environmental Contamination and Toxicology* **63(2):249-261.**
- Clayton, RD and Summerfelt, RC. 2011. A standpipe screen design to prevent fry loss during tank cleaning. *North American Journal of Aquaculture* **73(2):104-106**.
- Clearwater, SJ, et al. 2008. Overview of potential piscicides and molluscicides for controlling aquatic pest species in New Zealand. *New Zealand Department of Conservation Research and Development Series* **283:5-72**.
- Cole, DW, et al. 2009. Aquaculture: environmental, toxicological, and health issues. *International Journal of Hygiene and Environmental Health* **212(4):369-377**.
- Cornwell, ER, et al. 2011. Residual tannic acid destroys virucidal properties of iodophor. *North American Journal of Aquaculture* **73(1):8-12**.
- Davis, MW. 2010. Fish stress and mortality can be predicted using reflex impairment. *Fish and Fisheries* **11(1):1-11**.

AQUACULTURE DRUG RESEARCH RELATED LITERATURE

- de Amorim, MP, et al. 2009. Early development of the silver catfish *Rhamdia quelen* (Quoy & Gaimard, 1824) (Pisces: Heptapteridae) from the Sao Francisco River Basin, Brazil. *Aquaculture Research* **40(72-180)**.
- de Godos, I, et al. 2012. Tetracycline removal during wastewater treatment in high-rate algal ponds. *Journal of Hazardous Materials* **229-230:446-449**.
- Ducrot, V, et al. 2010. Modeling effects of diquat under realistic exposure patterns in genetically differentiated populations of the gastropod *Lymnaea stagnalis*. *Philosophical Transactions of the Royal Society of London, Series B: Biological Sciences* **365(1557):3485-3494**.
- Emmenegger, EJ, et al. 2011. Development of an aquatic pathogen database (AquaPathogen X) and its utilization in tracking emerging fish virus pathogens in North America. *Journal of Fish Diseases* **34(8):578-587.**
- Fotedar, S, and Evans, L. 2011. Health management during handling and live transport of crustaceans: a review. *Journal of Invertebrate Pathology* **106(1):143-152**.
- Gates, KW. 2010. Fishery products—quality, safety and authenticity. *Journal of Aquatic Food Product Technology* **19**(3-4):318-325.
- Green, TJ, et al. 2009. Differential expression of genes encoding anti-oxidant enzymes in Sydney rock oysters *Saccostrea glomerata* (Gould) selected for disease resistance. *Fish & Shellfish Immunology* **26(5):799-810**.
- Hadfield, CA. 2011. Fish quarantine: current practices in public zoos and aquaria. *Journal of Zoo and Wildlife Medicine* **42(4):641-650**.
- Harikrishnan, R, et al. 2010. Immune enhancement of chemotherapeutants on lymphocystis disease virus (LDV) infected *Paralichthys olivaceus*. *Fish & Shellfish Immunology* **29(5):862-867**.
- Harikrishnan, R, et al. 2011. Fish health aspects in grouper aquaculture. *Aquaculture* **320(1-2):1-21**.
- Harnisz, M and Tucholski, S. 2010. Microbial quality of common carp and pikeperch fingerlings cultured in a pond fed with treated wastewater. *Ecological Engineering* **36(4):466-470**.
- Immanuel, G, et al. 2009. Dietary medicinal plant extracts improve growth, immune activity and survival of tilapia *Oreochromis mossambicus*. *Journal of Fish Biology* **74**(7):**1462-1475**.
- Irvine, JR, and Gaetz, H. 2012. Using golf balls to keep screens clean in circular rearing tanks. *North American Journal of Aquaculture* **74(4):584-585**.
- Jensen, MA, et al. 2011. Seawater ozonation and formalin disinfection for the larval culture of eastern rock lobster, *Jasus* (*Sagmariasus*) *verreauxi*, phyllosoma. *Aquaculture* 318(1-2):213-222.
- Ji, K, et al. 2010. Effects of sulfathiazole, oxytetracycline and chlortetracycline on steroidogenesis in the human adrenocarcinoma (H295R) cell line and freshwater fish *Oryzias latipes*. *Journal of Hazardous Materials* **182(1-3):494-502.**
- Johansen, L-H, et al. 2011. Disease interaction and pathogen exchange between wild and farmed fish populations with special reference to Norway. *Aquaculture* **315(3-4):167-186**.
- Jovanović, B, and Dušan, P. 2012. Immunotoxicology of non-functionalized engineered nanoparticles in aquatic organisms with special emphasis on fish: review of current knowledge, gap identification, and call for further research. *Aquatic Toxicology* **118-119:141-151**.

AQUACULTURE DRUG RESEARCH RELATED LITERATURE

- Kasai, H, et al. 2011. Elimination of *Escherichia coli* from oysters using electrolyzed seawater. *Aquaculture* **319(3-4):315-318**.
- Kim, H-A, et al. 2011. Analysis of formaldehyde in fisheries products. *Korean Journal of Food Science and Technology* **43(1):17-22**.
- Kim, HY, et al. 2010. Monitoring of veterinary drug residues in foods produced in Korea. *Korean Journal of Food Science and Technology* **42(6):653-663**.
- Kwok, KWH, et al. 2012. Uptake of silver nanoparticles and toxicity to early life stages of Japanese medaka (*Oryzias latipes*): effect of coating materials. *Aquatic Toxicology* **120-121:59-66**.
- Lauzon, HL, et al. 2010. Microbiota of Atlantic cod (Gadus morhua L.) rearing systems at pre- and posthatch stages and the effect of different treatments. *Journal of Applied Microbiology* **109(5):1775-1789**.
- Lima dos Santos, CAM and Howgate, P. 2011. Fishborne zoonotic parasites and aquaculture: a review. *Aquaculture* **318(3-4):253-261**.
- Lopes, RP, et al. 2012. Multiresidue determination of veterinary drugs in aquaculture fish samples by ultra high performance liquid chromatography coupled to tandem mass spectrometry. *Journal of Chromatography B* **895-896:39-47**.
- Magondu, EW, et al. 2011. Evaluation of sodium chloride (NaCl) for the potential prophylactic treatment and its short-term toxicity to African catfish *Clarias gariepinus* (Burchell 1822) yolk-sac and swim-up fry. *Aquaculture* **319(1-2):307-310.**
- Martins, ML, et al. 2011. Effect of parasitism on vaccine efficacy against *Streptococcus iniae* in Nile tilapia. *Aquaculture* **314(1-4):18-23**.
- Marva, F, et al. 2010. Adaptation of green microalgae to the herbicides simazine and diquat as result of pre-selective mutations. *Aquatic Toxicology* **96(2):130-134**.
- Mayor, DJ, et al. 2008. Acute toxicity of some treatments commonly used by the salmonid aquaculture industry to *Corophium volutator* and *Hediste diversicolor*: whole sediment bioassay tests. *Aquaculture* **285(1-4):102-108**.
- McCarty, LS, et al. 2012. Information quality in regulatory decision making: peer review versus good laboratory practices. *Environmental Health Perspectives* **120**(7):927-934. (open access)
- Menousek, J, et al. 2012. Database screening and *in vivo* efficacy of antimicrobial peptides against methicillin-resistant *Staphylococcus aureus* USA300. *International Journal of Antimicrobial Agents* **39(5):402-406**.
- Merrifield, DL, et al. 2010. Probiotic applications for rainbow trout (*Oncorhynchus mykiss* Walbaum) II. Effects on growth performance, feed utilization, intestinal microbiota and related health criteria postantibiotic treatment. *Aquaculture Nutrition* **16**(5):**496-503**.
- Metcalfe, JD and Craig, JF. 2011. Editorial ethical justification for the use and treatment of fishes in research: an update. *Journal of Fish Biology* **78(2):393-394**.
- Midtlyng, PJ, et al. 2011. What has been done to minimize the use of antibacterial and antiparasitic drugs in Norwegian aquaculture? *Aquaculture Research* **42(Supplement 1):28-34**.
- Miladi, H, et al. 2010. Inhibitory effect of clove oil (*Syzium aromaticum*) against listeria monocytogenes cells incubated in fresh-cut salmon. *Journal of Food Safety* **30(2):432-442**.

AQUACULTURE DRUG RESEARCH RELATED LITERATURE

- Miladinović, DL, et al. 2012. Investigation of the chemical composition-antibacterial activity relationship of essential oils by chemometric methods. *Analytical & Bioanalytical Chemistry* **403(4):1007-1018**.
- Milenkovski, S, et al. 2010. Toxicity of fungicides to natural bacterial communities in wetland water and sediment measured using leucine incorporation and potential denitrification. *Ecotoxicology* **19(2):285-294**.
- Mitchell, A and Farmer, B. 2010. Evaluation of an ultra-low-flow water delivery system for small experimental tanks. *North American Journal of Aquaculture* **72(3):195-200**.
- Moeller, MS, et al. 2010. Degradation and effect of hydrogen peroxide in small-scale recirculation aquaculture system biofilters. *Aquaculture Research* **41(8):1113-1122**.
- Mudryk, Z, et al. 2010. Detection of antibiotic resistant bacteria inhabiting the sand of non-recreational marine beach. *Marine Pollution Bulletin* **60(2):207-214**.
- Munoz, I, et al. 2010. Environmental and human health risk assessment of organic micro-pollutants occurring in a Spanish marine fish farm. *Environmental Pollution* **158(5):1809-1816**.
- Murray, AG. 2009. Using simple models to review the application and implications of different approaches used to simulate transmission of pathogens among aquatic animals. *Preventive Veterinary Medicine* **88(3):167-177**.
- Nunes, JP, et al. 2011. Towards an ecosystem approach to aquaculture: assessment of sustainable shellfish cultivation at different scales of space, time and complexity. *Aquaculture* **315**(**3-4**):**369-383**.
- Oidtmann, BC, et al. 2011. International and national biosecurity strategies in aquatic animal health. *Aquaculture* **320(1-2):22-3**.
- Oplinger, R, et al. 2009. Effect of sodium chloride, tricaine methanesulfonate, and light on New Zealand mud snail behavior, survival of snails defecated from rainbow trout, and effects of Epsom salt on snail elimination rate. *North American Journal of Aquaculture* **71(2):157-164**.
- Oplinger, RW and Wagner, EJ. 2009. Toxicity of common aquaculture disinfectants to New Zealand mud snails and mud snail toxicants to rainbow trout eggs. *North American Journal of Aquaculture* **71(3):229-237**.
- Oplinger, RW and Wagner, EJ. 2010. Effect of potassium permanganate treatments on New Zealand mud snail behavior and survival and rainbow trout growth and condition. *North American Journal of Aquaculture* **72**(3):207-212.
- Park, K and Heo, GJ. 2009. Acute and subacute toxicity of copper sulfate pentahydrate (CuSO4·5H₂O) in the guppy (*Poecilia reticulata*). *Journal of Veterinary Medical Science* **71**(3):333-336.
- Pizzolon, M, et al. 2010. When fathers make the difference: efficacy of male sexually selected antimicrobial glands in enhancing fish hatching success. *Functional Ecology* **24(1):141-148**.
- Rajanbabu, V and Chen, J-Y. 2011. Applications of antimicrobial peptides from fish and perspectives for the future. *Peptides* **32(2):415-420**.
- Rambla-Alegre, M, et al. 2010. Analysis of selected veterinary antibiotics in fish by micellar liquid chromatography with fluorescence detection and validation in accordance with regulation 2002/657/EC. *Food Chemistry* **123(4):1294-1302**.

AQUACULTURE DRUG RESEARCH RELATED LITERATURE

- Ren, X, et al. 2012. Optimization of enzymatic hydrolysis of channel catfish bones for preparing antimicrobial agents. *Journal of Aquatic Food Product Technology* **21(2):99-110**.
- Ribeiro, RV, et al. 2010. Incidence and antimicrobial resistance of enteropathogens isolated from an integrated aquaculture system. *Letters in Applied Microbiology* **51(6):611-618**.
- Rohini, B, et al. 2012. Potential of water and methanol extracts of *Lambis lambis* against fish and human pathogens. *Biologocal Rhythm Research* **43(2):205-213**.
- Rowe, DK, and Wilding, T. 2012. Risk assessment model for the introduction of non-native freshwater fish into New Zealand. *Journal of Applied Ichthyology* **28(4):582-589**.
- Sanabria, C, et al. 2009. Effects of commonly used disinfectants and temperature on swim bladder non-inflation in freshwater angelfish *Pterophyllum scalare* (Lichtenstein). *Aquaculture* **292**(3-4):158-165.
- Schillaci, D, et al. 2010. Antimicrobial and antistaphylococcal biofilm activity from the sea urchin *Paracentrotus lividus. Journal of Applied Microbiology* **108(1):17-24**.
- Segner, H, et al. 2012. Health of farmed fish: Its relation to fish welfare and its utility as welfare indicator. *Fish Physiology and Biochemistry* **38(1):85-105**.
- Shao, X-p, et al. 2010. Effects of dietary copper sources and levels on performance, copper status, plasma antioxidant activities and relative copper bioavailability in *Carassius auratus gibelio*. *Aquaculture* **308(1-2):60-65.**
- Shaw, BJ, et al. 2012. Effects of waterborne copper nanoparticles and copper sulphate on rainbow trout, (*Oncorhynchus mykiss*): physiology and accumulation. *Aquatic Toxicology* **116-117:90-101**.
- Shi, X, et al. 2012. Characterization and application of molecularly imprinted polymers for group-selective recognition of antibiotics in food samples. *Analyst* 137(4):3381-3389.
- Soares, MC, et al. 2011. Tactile stimulation lowers stress in fish. Nature Communications 2:534-534.
- Soon, JM, and Baines, RN. 2012. Farm food safety and diseases risk assessments: case studies from the horticultural and salmonid farms. *Risk Research* **15(4):389-403**.
- Stachowiak, M, et al. 2010. Tetracycline-resistant *Escherichia coli* in a small stream receiving fish hatchery effluent. *Water, Air, & Soil Pollution* **211(1-4):251-259**.
- Sun, K, et al. 2010. Sorption of endocrine disrupting chemicals by condensed organic matter in soils and sediments. *Chemosphere* **80(7):709-715**.
- Tacon, AGJ and Metian, M. 2008. Aquaculture feed and food safety. *Annals of the New York Academy of Sciences* **1140(1):50-59**.
- Treasurer, JW. 2012. Diseases of north European wrasse (Labridae) and possible interactions with cohabited farmed salmon, *Salmo salar* L. *Journal of Fish Diseases* **35(8):555-562**.
- Vazquez-Sanchez, D, et al. 2012. Incidence and characterization of *Staphylococcus aureus* in fishery products marketed in Galicia (Northwest Spain). *International Journal of Food Mcrobiology* **157(2):286-296**.
- Velicu, M and Suri, R. 2009. Presence of steroid hormones and antibiotics in surface water of agricultural, suburban and mixed-use areas. *Environmental Monitoring and Assessment* 154(1-4):349-359.

AQUACULTURE DRUG RESEARCH RELATED LITERATURE

- Wang, H-C, et al. 2011. Effect of common antibiotics in aquaculture on phenoloxidase activity in mud crab. *Fisheries Science* **30(1):38-41**.
- Wilkinson, RJ, et al. 2008. The effects of pre-harvest stress and harvest method on the stress response, rigor onset, muscle pH, and drip loss in barramundi *Lates calcarifer*. *Aquaculture* **282(1-4):26-32**.
- Yamashita, Y, et al. 2009. The synthetic antioxidant, ethoxyquin, adversely affects immunity in tilapia (*Oreochromis niloticus*). *Aquaculture Nutrition* **15(2):144-151**.
- Yao, H, et al. 2009. A high throughput chemiluminescence method for determination of chemical oxygen demand in waters. *Analytica Chimica Acta* **633(1):76-80**.
- Zaroogian, GE, et al. 2012. An injectable, slow-release implantation method for exposing fish to chemicals over a period of weeks. *North American Journal of Aquaculture* **74(4):512-521**.
- Zhu, L-Y, et al. 2013. Advances in research of fish immune-relevant genes: a comparative overview of innate and adaptive immunity in teleosts. *Developmental and Comparative Immunology* **39(1-2):39-62**.